

	Absolute no.	%	Absolute no.	%	Absolute no.	%	Absolute no.	%
Pool wall	wc2 south		wc2 south		wc2 south		wc2 south	
Plaster layer (I=interior; II=exterior)	I		I		II		II	
Field ID	RRD1allb		RRDIII 3		RRD1alla		RRDIII 1	
Quercus calliprinos type	2	0.9	2	2.0	2	1.2	1	0.4
Quercus ithaburensis type	2	0.9		0.0		0.0	1	0.4
Pinus	7	3.2	26	25.7	18	10.5	97	42.2
Pistacia		0.0		0.0	1	0.6		0.0
Phillyrea		0.0	3	3.0	1	0.6		0.0
Poaceae	3	1.4		0.0	5	2.9	2	0.9
Cereal type	10	4.6	6	5.9	8	4.7	2	0.9
Asteraceae Asteroideae	15	6.9		0.0		0.0	3	1.3
Asteraceae Cichorioideae	14	6.5	6	5.9	1	0.6	1	0.4
Artemisia		0.0		0.0		0.0	6	2.6
Apiaceae	2	0.9		0.0		0.0		0.0
Chenopodiaceae	92	42.4	37	36.6	9	5.2	3	1.3
Caryophyllaceae	10	4.6		0.0	2	1.2	1	0.4
Liliaceae	1	0.5	2	2.0	2	1.2		0.0
Salvia type	5	2.3		0.0		0.0		0.0
Brassicaceae	12	5.5		0.0	3	1.7	8	3.5
Plantago lanceolata	1	0.5		0.0	2	1.2		0.0
Rosaceae	3	1.4		0.0	1	0.6	3	1.3
Urticaceae	1	0.5	3	3.0	1	0.6	4	1.7
Solanaceae		0.0	1	1.0	2	1.2	1	0.4
Rubiaceae	1	0.5		0.0		0.0		0.0
Fabaceae						0.0	2	0.9
Salix		0.0		0.0	16	9.3	2	0.9
Populus		0.0		0.0	1	0.6	2	0.9
Vitis		0.0		0.0	2	1.2	2	0.9
Juglance		0.0		0.0	2	1.2		0.0
Citrus medica		0.0		0.0	55	32.0	51	22.2
Ficus carica		0.0		0.0	4	2.3	2	0.9
Olea europaea	4	1.8	2	2.0	5	2.9	3	1.3
Cedrus					1	0.6	1	0.4
Myrtus		0.0		0.0	2	1.2	5	2.2
Betula						0.0	3	1.3
Unrecognizable	32	14.7	13	12.9	26	15.1	24	10.4

Total pollen counted (AP+NAP)	217	100.0	101	####	172	100.0	230	100.0
Lemna (absolute no.)	2		71		101		20	
Nymphaea (absolute no.)			2		1			
spores (absolute no.)	1		74		13		25	
Total palynomorphes sum	220		248		287		275	
Lycopodium	280		461		2039		1613	
Weight (g)	5.4		0.2		0.7		1.6	
pollen concentrations (g/sediment)	122.2		1964.7		168.9		91.2	