

CONTENTS

	PAGES
Preface	xxv
Acknowledgments	xxix
Frequently used Abbreviations and Notations	xxx
PART 1. COSMIC RAYS AS AN OBJECT OF RESEARCH AND AS A RESEARCH INSTRUMENT.....	1
Preface of Part 1.....	2
Chapter 1. Cosmic Rays as an Object of Research.....	3
1.1. CR as an universal phenomenon in the Universe.....	3
1.1.1. <i>What are CR? Internal and external CR; multiple origin of CR</i>	3
1.1.2. <i>Two maxima in particle energy distribution in magnetized space plasma</i>	3
1.1.3. <i>The main cause of CR phenomenon</i>	4
1.1.4. <i>Formation of CR spectrum and upper energy limit</i>	5
1.2. Main steps of CR discovery and research development.....	6
1.2.1. <i>Air conductivity and CR discovery (1900–1912)</i>	6
1.2.2. <i>Investigations of the origin of ‘penetrating radiation’; establishing of extra-terrestrial origin of CR (1913–1926)</i>	6
1.2.3. <i>Investigations of the nature of CR: charged particles or gamma-rays? Establishing that CR are mainly charged particles (1927–1939)</i>	6
1.2.4. <i>Discovery in secondary CR positrons, muons, pions, and other new elementary particles (1932–1950)</i>	8
1.2.5. <i>Investigations of the sign of primary CR charged particles (1933–1950)</i>	9
1.2.6. <i>The first attempts to measure CR time variations (1923–1935)</i>	9
1.2.7. <i>The 1st worldwide network of CR observatories equipped by ionization chambers; main results on CR variations (1934–1952)</i>	10
1.2.8. <i>Construction of neutron monitors and the greatest GLE of February 23, 1956; the IGY and the 2nd CR network (1952–1959)</i>	12
1.2.9. <i>Construction of super NM, the IQSY and the 3rd CR network, wide use satellites and space probes for CR research (1960–1992)</i>	14
1.2.10. <i>Development of fundamental and applied CR research: step by step formation of International Cosmic Ray Service, wide use of Internet for real time data exchange, combining of ground and satellite CR data (after 1992)</i>	15
1.3. Main aspects of CR research and their interconnections.....	18
1.3.1. <i>The first aspect: CR underground and in the atmosphere</i>	18
1.3.2. <i>The second aspect: CR in the magnetosphere and in space</i>	19
1.3.3. <i>The third aspect: CR of solar, planetary, and interplanetary origin</i>	19
1.3.4. <i>The forth aspect: CR astrophysics</i>	20
1.3.5. <i>The fifth aspect: CR elementary particles and high-energy physics</i>	20
1.3.6. <i>Interconnections between different aspects of CR research</i>	20
1.4. Primary CR: energy spectrum, chemical and isotopic contents, antimatter.....	21
1.4.1. <i>Primary CR of extragalactic, galactic, and solar origin</i>	21
1.4.2. <i>Energy spectrum and chemical composition of galactic CR; main sources of CR in the Galaxy</i>	21
1.4.3. <i>Protons and α-particles in primary galactic CR</i>	25
1.4.4. <i>Isotopic contents of primary galactic CR</i>	28
1.4.5. <i>Primary electrons and positrons in galactic CR</i>	31
1.4.6. <i>Antimatter in galactic CR; the problem of asymmetry in the Galaxy and the Universe</i>	33
Chapter 2. Secondary CR Underground and in the Atmosphere.....	39
2.1. CR interactions with air and ground atoms.....	39

2.2. Meson-nuclear cascade and generation of pions.....	39
2.3. Meson-nuclear and electromagnetic cascades in the atmosphere; Geant4 simulation Monte Carlo code	40
2.4. Secondary CR underwater and underground.....	43
2.4.1. <i>Origin and nature of CR underwater and underground</i>	43
2.4.2. <i>CR measurements underwater and underground</i>	44
2.4.3. <i>The CR intensity dependence on depth of water and ground</i>	44
2.4.4. <i>Energy dependence of muon absorption path</i>	46
2.4.5. <i>Angular distribution of muons underwater and underground</i>	47
2.5. Negative and positive muons in the atmosphere.....	47
2.6. Secondary neutrino fluxes in the atmosphere and underground....	50
2.7. Underground measurements of solar and cosmic neutrinos	52
2.7.1. <i>Importance of solar and cosmic neutrinos measurements for Astrophysics and Elementary Particle Physics</i>	52
2.7.2. <i>Solar neutrinos deficit and oscillations; non zero neutrino mass</i>	53
2.7.2. <i>Possible anomalous magnetic moment and spin-flavor neutrino precession</i>	54
2.7.4. <i>Main results obtained in KamiokaNDE and Super-KamiokaNDE; detection of solar, atmospheric, and cosmic neutrinos from Supernova; neutrino oscillations, the problem of proton decay</i>	59
2.8. Secondary neutrons and protons in the atmosphere.....	61
2.9. Secondary gamma rays in the atmosphere from galactic and solar CR	67
2.10. Secondary gamma-rays from precipitating radiation belts electrons	69
2.11. Secondary electrons, positrons, and photons generated by CR in the atmosphere	71
2.12. CR albedo radiation directed down and up	75
2.13. Secondary CR in the troposphere and stratosphere	78
2.13.1. <i>Regular radio-balloon CR measurements and comparison with ground measurements by NM and MT</i>	78
2.13.2. <i>Altitude dependences of secondary CR intensity at different cut-off rigidities</i>	79
2.13.3. <i>Time variations of secondary CR intensity at different depths in troposphere and stratosphere</i>	81
2.13.4. <i>The atmospheric cut-off energy for radio-balloon measurements vs. atmospheric depth</i>	82
2.13.5. <i>Precipitation of high-energy electrons from the Earth's radiation belts</i>	83
2.13.6. <i>Bremsstrahlung photons from precipitating high-energy electrons</i>	85
2.14. Perspectives of secondary CR research development	88
Chapter 3. Coupling Functions, Integral Multiplicities, and Inverse Transformations	89
3.1. Integral multiplicities, coupling functions, and CR time variations	89
3.2. The interference between different CR variation classes	91
3.3. CR in the geomagnetic field: asymptotic directions, penumbra and cut-off rigidities	91
3.4. Determination of coupling functions and integral multiplicities by geomagnetic effects; extrapolation to higher energies and estimations for underground detectors and EAS installations	93
3.4.1. <i>Using geomagnetic effects for determining coupling functions and integral multiplicities</i>	93
3.4.2. <i>Extrapolation to higher energies or rigidities</i>	93
3.4.3. <i>Coupling functions for underground CR measurements</i>	97
3.4.4. <i>Coupling functions for EAS</i>	101
3.5. Analytical calculations of integral multiplicities and coupling functions for CR total neutron component	107

CONTENTS

ix

3.5.1. Calculations of integral multiplicities and coupling functions for neutron component using the method of discontinue Markov processes	107
3.5.2. Calculations of integral multiplicity, coupling and response functions for total neutron component by consideration of meson-nuclear cascade in the atmosphere	112
3.6. Calculations of integral multiplicities and coupling functions for multiple neutrons in NM-IQSY	119
3.7. Monte Carlo simulation of NM sensitivity (integral multiplicity) to primary protons arriving at different zenith angles	125
3.7.1. Calculations of integral multiplicity for primary protons with energy 3 and 10 GeV	125
3.7.2. Dependence of integral multiplicities from atmospheric depth	126
3.7.3. Dependence of integral multiplicities from the zenith angle	127
3.7.4. Dependence of integral multiplicities from atmospheric depth and zenith angle	128
3.7.5. Test of Dorman and Pakhomov (1979) calculations of the integral multiplicities by solar neutron observation data	128
3.8. Analytical presentation of coupling functions	129
3.8.1. The form of analytical approximation for coupling functions	129
3.8.2. Analytical approximation for CR intensity dependence on cut-off rigidity	129
3.8.3. Analytical presentation of coupling functions for NM-IQSY (total intensity and different multiplicities); their dependencies from solar activity	130
3.8.4. Analytical representation of polar coupling functions for different CR secondary components	131
3.9. Difference coupling functions for CR observations in the atmosphere and its analytical presentation	131
3.9.1. The problem of narrowing the energy sensitivity of CR instruments	131
3.9.2. The main equation for the difference intensities for the two identical CR instruments at different cut-off rigidities	131
3.9.3. Presentation of the differential coupling functions through polar coupling functions	133
3.9.4. Analytical approximation for the difference coupling function	133
3.9.5. The difference coupling functions for inclined muon telescopes	134
3.9.6. Main equation for determination of CR variations of magnetospheric and extraterrestrial origin using the difference coupling functions for observations in atmosphere	135
3.10. Difference coupling functions and difference meteorological coefficients for underground CR observations	136
3.10.1. The difference coupling functions for underground observations by identical muon telescopes relevant to the coupling functions for single instruments	136
3.10.2. Difference coupling functions for underground measurements on the same depth but at different zenith angles	138
3.10.3. The difference meteorological coefficients for pair of underground observations and their relation to the meteorological coefficients for single instruments	139
3.10.4. General equation of the variations for the relative difference in the CR intensities from underground observations	140
3.11. Spectrographic method for determining rigidity spectrum of primary CR variation on the basis of single Observatory data	140
3.11.1. Two approximations for rigidity spectrum of primary CR variation	140
3.11.2. Determining of the rigidity spectrum of primary CR variation in the magnetically quiet period	141
3.11.3. Determination of the rigidity spectrum of primary CR variation and cut-off rigidity change in magnetically disturbed periods	142
3.11.4. Special program for on-line determining of energy spectrum of CR primary variation	144
3.12. Spectrographic method on the basis of two CR Observatories data	145
3.12.1. Determining of the rigidity spectrum of primary CR variation in the magnetically quiet period	145
3.12.2. Determination of the rigidity spectrum of primary CR variation and cut-off rigidity change in the magnetically disturbed periods	147
3.12.3. Spectrographic method for pairs of CR Observatories with about the same asymptotic directions	149

3.13. Ring CR Observatories with about the same asymptotic latitudes (method of variational coefficients)	149
3.13.1. <i>The basis of the variational coefficients method</i>	149
3.13.2. <i>Determination of the longitude variational coefficients if the anisotropy follows a cosine law in latitude</i>	151
3.13.3. <i>Ways of using the longitude variational coefficients in studying the anisotropy of primary variations out of the magnetosphere</i>	153
3.13.4. <i>Limitations of the method of variational coefficients</i>	155
3.14. Global-spectrographic method (acceptance vectors and spherical analyses)	156
3.14.1. <i>Representation of primary CR intensity variation distribution function by spherical harmonics</i>	156
3.14.2. <i>The CR space distribution and the diurnal variation</i>	157
3.14.3. <i>Determination of acceptance vectors of actual instruments</i>	158
3.14.4. <i>Acceptance vectors for neutron monitors</i>	161
3.14.5. <i>Acceptance vectors for muon detectors</i>	173
3.14.6. <i>Transformation matrices</i>	177
3.14.7. <i>Method for determining the momentary anisotropy</i>	180
3.15. Experimental estimation of the ground detector's sensitivity to primary CR on the basis of data on observed CR variations	181
3.15.1. <i>On the using of experimental data on CR variations for estimation of coupling functions and integral multiplicities for the detectors of secondary CR components</i>	181
3.15.2. <i>On the NM sensitivity to primary protons below 3 GeV derived from GLE data</i>	185
3.15.3. <i>Using data on short and long term CR modulation; NM sensitivity changes vs. altitude and cutoff rigidity</i>	187
3.16. Effective rigidity and effective energy as characteristics of secondary CR detector sensitivity to primary CR	191
3.16.1. <i>The effective rigidities and energies of CR detectors and their dependence from cutoff rigidity and primary CR spectrum of variation</i>	191
3.16.2. <i>Using the analytical approximation for coupling functions</i>	192
3.16.3. <i>Effective rigidities for muon detectors</i>	193
3.16.4. <i>Effective rigidities for total neutron component</i>	195
3.16.5. <i>The integral effective energies of CR ground detectors for long-term CR modulation in dependence from cutoff rigidity</i>	197
Chapter 4. Experimental Basis of Cosmic Ray Research	201
4.1. Worldwide network of CR Observatories and CR database	201
4.1.1. <i>Worldwide network of CR detectors for geophysical, astrophysical, and space research applications</i>	201
4.1.2. <i>Archives of CR data and formation of CR data database</i>	201
4.2. The network of ionization chambers	203
4.3. The network of muon telescopes	205
4.3.1. <i>Zenith directional diagrams</i>	205
4.3.2. <i>Using plastic scintillators for muon telescopes</i>	208
4.3.3. <i>Design of muon telescopes on plastic scintillators</i>	210
4.3.4. <i>Narrow angle multi directional telescopes</i>	212
4.3.4. <i>World-wide distribution of ground and underground muon telescopes</i>	214
4.4. Network of neutron monitors of IGY type and neutron super-monitors of IQSY type	216
4.4.1. <i>NM as main detector of worldwide network of ground based CR observatories; the tendency of combining NM and spacecraft data</i>	216
4.4.2. <i>Examples of CR Observatories equipped by NM</i>	217
4.4.3. <i>Worldwide network of NM: planetary distribution</i>	218
4.4.4. <i>Worldwide network of NM: statistical error</i>	220
4.4.5. <i>Response of NM worldwide network to CR isotropic variation</i>	220
4.4.6. <i>Response of NM worldwide network to CR North-South asymmetry and solar-diurnal anisotropy</i>	222

CONTENTS

xi

4.4.7. Sensitivity of NM worldwide network to solar neutron events	224
4.4.8. Possible new sensors for neutrons detecting	225
4.4.9. On neutron monitors zenith diagrams	226
4.4.10. Recording of multiple neutrons by NM-IGY and NM-IQSY	227
4.4.11. Sensitivity of NM to various secondary CR particles	230
4.4.12. Detection efficiency of NM-IGY and NM-IQSY	232
4.4.13. Comparison of detection efficiency of NM-IQSY with different neutron counters	235
4.4.14. The high-latitude NM network as a basis of the 'Spaceship Earth' concept	237
4.4.15. Intercalibration of the NM worldwide network	240
4.5. Equipments for investigation of very high energy CR	242
4.5.1. Initial EAS equipments and research	242
4.5.2. Recent and planned EAS experiments for CR research in extremely high energy range (MILAGRO experiment, OWL – AIRWATCH experiment, LAAS Network observations of Air Showers, Tibet-III Air Shower Array, TANGO Array I, Tunka EAS Cherenkov Array, Auger Observatories, Telescope Array Project), Underground Multimueon Experiment, The ASHRA Detector, KASCADE-Grande, Science-Education Experiment: Wide Area Small Air Showers Detection System Linked by Internet)	245
4.6. CR experiments on aircrafts and balloons	254
4.6.1. The initial CR experiments on aircrafts	254
4.6.2. Some example of recent aircraft CR experiments	254
4.6.3. The network of regular radio-balloon CR measurements	256
4.6.4. Special CR experiments on long duration balloons (SOFICAL, HEAT, CAPRICE, ATIC, TIGER, Polar BEAR, BESS, CREAM)	256
4.7. CR research by geophysical rockets, on satellites and space-probes	263
4.7.1. The initial CR instruments on geophysical rockets	263
4.7.2. Early space instruments for total flux measurements of electrons, protons, alpha-particles and gamma-rays	263
4.7.3. Early space instruments for measurements of nuclei flux time variations	264
4.7.4. Early space instruments for high energy CR measurements	265
4.7.5. Recent space instruments for CR research (SilEye - Silicon Detector on the MIR Space Station, NINA, PAMELA, ACCESS, ECCO and ENTICE on HNX Mission, HIT on TSUBASA, PS on SELENE, AMS-02 on ISS, EUSO on ISS)	265
4.8. An example of automatically operating CR Observatory connected to the Internet	273
4.8.1. Israel Cosmic Ray Center and the Israeli-Italian Emilio Segre' Observatory	273
4.8.2. Description of underground multi-directional muon telescope	275
4.8.3. Automatic search of the start of great solar energetic particle events	278
4.8.4. The probability of false alarms	280
4.8.5. The probability of missed triggers	280
4.8.5. Website of ICRC/ESO in Internet and automatic Alarms on the starting of big solar CR events	281
4.9. Development of Solar Neutron Telescope (SNT) a special detector for search and investigations of solar neutron events	282
4.9.1. The first SNT and formation of the SNT worldwide network	282
4.9.2. The largest SNT on Mt. Norikura (Japan)	284
4.9.3. Calibrating of SNT	285
4.9.4. Extending of SNT network: foundation of new SNT in Mexico	286
4.9.5. Developing of Super Solar Neutron Telescope (SSNT)	286
PART 2. INFLUENCE OF THE CHANGING ATMOSPHERE ON COSMIC RAYS (METEOROLOGICAL EFFECTS)	287
Preface to Part 2	288
Chapter 5. Theory of Cosmic Ray Meteorological Effects for Measurements in the Atmosphere and Underground (One-Dimensional Approximation)	289

5.1. Meteorological effects of CR hard muon component	289
5.1.1. <i>Expected pion intensity</i>	289
5.1.2. <i>Expected hard muon intensity</i>	290
5.1.3. <i>Expected meteorological variations of muon intensity</i>	292
5.1.4. <i>Expected meteorological effects of different types</i>	293
5.1.5. <i>Meteorological coefficients for hard muons</i>	295
5.1.6. <i>Relative change of meteorological coefficients for hard muons with changing of observation conditions</i>	304
5.2. Meteorological effects of CR soft muons	305
5.2.1. <i>Expected intensity of soft muons</i>	305
5.2.2. <i>Expected meteorological variations of CR soft muons</i>	306
5.2.3. <i>Expected types of meteorological effects of soft muons</i>	307
5.2.4. <i>Meteorological coefficients for soft muons</i>	308
5.3. Meteorological effects of CR electron-photon, soft and general ionized components	311
5.3.1. <i>CR general ionized, hard, soft and electron-photon components: main characteristics</i>	311
5.3.2. <i>Expected intensity of electronic component from muons decay</i>	312
5.3.3. <i>Expected meteorological effects of electronic component from muon decay</i>	313
5.3.4. <i>Approximate solution for intensity and meteorological effects of electronic component from muons decay</i>	314
5.3.5. <i>Expected intensity and meteorological effects of δ – electrons</i>	315
5.3.6. <i>Expected meteorological effects of non-equilibrium part of electron-photon component</i>	316
5.3.7. <i>Expected intensity and meteorological effects of electron-photon component</i>	317
5.3.8. <i>Expected meteorological effects of CR general ionized component</i>	318
5.4. Meteorological effects of CR total neutron component and different multiplicities	319
5.4.1. <i>Formation of total neutron component and different multiplicities detected by neutron monitors</i>	319
5.4.2. <i>Expected meteorological effects in total neutron component and different multiplicities caused by different particles</i>	321
5.4.3. <i>Meteorological effects in total neutron component and different multiplicities caused by neutrons and protons: the first approximation</i>	321
5.4.4. <i>Meteorological effects in total neutron component and different multiplicities caused by neutrons and protons: the second approximation</i>	322
5.4.5. <i>Expected meteorological effects in total neutron component and different multiplicities caused by captured muons</i>	326
5.4.6. <i>Expected meteorological effects in total neutron component and different multiplicities caused by fast muons</i>	327
5.4.7. <i>Expected meteorological effects in total neutron component and different multiplicities caused by charged pions inside neutron monitor</i>	327
5.4.8. <i>Summary of temperature effects in total neutron component</i>	328
Chapter 6. Experimental Investigations of Cosmic Ray Snow, Wind and Barometric Effects	331
6.1. CR snow effect	331
6.1.1. <i>CR snow effect on mountains and high-latitude stations</i>	331
6.1.2. <i>Regression relations in periods without snow</i>	331
6.1.3. <i>Snow effect on Mt. Hermon for different multiplicities</i>	332
6.1.4. <i>Regression relations between snow effects in total intensity and in different neutron multiplicities</i>	334
6.2. Wind effect in CR	336
6.3. Barometric effect of EAS	338
6.3.1. <i>Results for EAS caused by primary CR with energy from 100 TeV to 5000 TeV</i>	338
6.3.2. <i>Barometric effect for a single CR component of EAS</i>	338
6.4. Barometric and temperature effects of ionization bursts	339
6.5. Barometric effect for underground observations of muon component	340

CONTENTS

xiii

6.6. Barometric effect for hard muons	340
6.7. Barometric effect for general ionizing and soft cosmic ray components	341
6.8. Barometric effect for the total neutron component	342
<i>6.8.1. Barometric coefficients for the first non-standard detectors of neutrons</i>	342
<i>6.8.2. Barometric coefficients for the standard IGY type neutron monitors</i>	342
<i>6.8.3. Comparison of barometric coefficients for the standard IGY type (Simpson type) neutron monitor and for IQSY type (NM-64) super-monitor</i>	343
6.9. Variation of barometric coefficients for the total neutron component with altitude and geomagnetic cut-off rigidity	343
<i>6.9.1. The dependence of barometric coefficient at sea level on R_c</i>	343
<i>6.9.2. The dependence of barometric coefficient on R_c and average air pressure on the level of observations</i>	347
6.10. Barometric coefficients for the total neutron component: airplane measurements	347
<i>6.10.1. Results for the average air pressure about 680 mb and 260-315 mb in dependence of cut-off rigidity near solar minimum</i>	347
<i>6.10.2. Dependences $\beta(h)$ and $\beta_v(h)$ for air pressure interval 300-1030 mb at cut-off rigidities 4.94 GV and 8.53 GV near solar maximum</i>	349
<i>6.10.3. Dependences $\beta(h)$ and $\beta_v(h)$ vs. air pressure in the interval 200-1030 mb at cut-off rigidities 1.6, 2.4; 5.7 and 13.3 GV near solar minimum and solar maximum</i>	350
6.11. Dependence of barometric coefficient from h at different cut-off rigidities and integral method of calculations of corrections on barometric effect	352
6.12. Influence of primary cosmic ray variations on barometric coefficients for neutron monitors	353
<i>6.12.1. Influence of solar cosmic rays on attenuation lengths and barometric coefficients</i>	353
<i>6.12.2. Influence of the 11-year solar activity cycle on CR barometric coefficients</i>	356
<i>6.12.3. On the connection of barometric coefficient variations with primary time modulations of CR intensity</i>	359
6.13. Various influences on barometric coefficients for neutron monitors	360
<i>6.13.1. Influence of radioactive contaminations on barometric coefficients for neutron monitors</i>	360
<i>6.13.2. Influence of accidental coincidences and generation of mesoatoms by captured soft negative muons on barometric coefficients for neutron monitors</i>	361
6.14. Barometric coefficients for counting rates of various neutron multiplicities	361
<i>6.14.1. Connection between barometric coefficients for total neutron counting rate and for multiplicities</i>	361
<i>6.14.2. Results for neutron monitors of IGY type</i>	362
<i>6.14.3. Comparison of results for NM of IGY type and stationary and shipboard NM of IQSY type</i>	363
<i>6.14.4. Dependence of barometric coefficients for various multiplicities on R_c</i>	364
<i>6.14.5. Mean multiplicities for neutron monitor of IGY type and stationary and shipboard neutron monitors of IQSY type</i>	365
<i>6.14.6. Analytical approximation for dependence of barometric coefficient for total neutron intensity and different neutron multiplicities from the level of observation</i>	367
6.15. Determination of barometric coefficients by the method of consecutive approximations	369
<i>6.15.1. The method of consecutive approximations for determination of barometric coefficients</i>	369
<i>6.15.2. Barometric coefficients for Rome neutron monitor 17-NM-64 of IQSY type</i>	369
<i>6.15.3. Barometric coefficients for ESO NM-64 (Mt. Hermon): first approximation</i>	370
<i>6.15.4. Barometric coefficients for ESO NM (Mt. Hermon): second approximation</i>	371
<i>6.15.5. Barometric coefficients for ESO NM (Mt. Hermon): third approximation</i>	372

6.15.6. Comparison of the three approximations for barometric coefficients	373
Chapter 7. Experimental Investigations of Cosmic Ray Temperature and Humidity Effects	375
7.1. Experimental investigations of temperature effect and the encountered difficulties	375
7.2. Integral method for determining of temperature effect for hard muon component	376
7.3. Experimental investigations of temperature effect of the hard muon component intensity underground	380
7.4. Experimental investigations of the temperature and humidity effects in the neutron component	380
7.4.1. Estimation of possible temperature effect in neutron component by using of empirical method of Duperier	380
7.4.2. The checking of the integral method of estimation of temperature effect in neutron component	381
7.4.3. The measurements of temperature and humidity effects in neutron component	381
7.5. Temporal and latitudinal dependencies of the temperature effect for cosmic ray neutron component	383
7.5.1. The problem of separation of temperature effect and North-South anisotropy in the CR neutron component	383
7.5.2. The seasonal temperature effect and North-South anisotropy in the CR neutron component; determination of factor C_T	384
Chapter 8. Atmospheric Electric Field Effects in Cosmic Rays	387
8.1. Discovery and detail investigations of atmospheric electric field effects in CR on the Baksan EAS array	387
8.2. Possible explanations of the observed atmospheric electric field effects in CR	392
8.3. Observations on the top of Gran Sasso	394
8.3.1. Observations with NaI(Tl)	394
8.3.2. Observations with EASTOP	395
8.3.3. On the different nature of long and short duration events: relative role of radioactive aerosols and AEF	396
8.4. Atmospheric electric field effects in charged CR components and in NM counting rate on Mt. Norikura	398
8.4.1. Particle acceleration in thunderstorms over Mt. Norikura during 48 August 2000	398
8.4.2. On the monthly and daily distributions of AEF effects in CR	399
8.4.3. AEF influence on CR at 17 July 2002: NM and charged component data	400
8.4.4. Possible causes of the difference of AEF effects in CR in Baksan valley and on Mt. Norikura	402
8.4.5. Monte Carlo simulations of expected AEF effects in CR data on Mt. Norikura	402
8.5. The general theory of atmospheric electric field effects in the CR secondary components	404
8.6. The theory of atmospheric electric field effects in the hard muon component	404
8.6.1. Expected intensity of hard positive and negative muons	404
8.6.2. Expected influence of atmospheric electric field on intensity of hard positive and negative muons	406
8.6.3. Expected influence of atmospheric electric field on the total intensity of hard muons	407
8.6.4. Absorption contribution to the atmospheric electric field effects in total hard muon intensity	407
8.6.5. Decay contribution to the atmospheric electric field effects in total hard muon intensity	407

CONTENTS

xv

8.7. The theory of atmospheric electric field effects in soft muon intensity	408
8.7.1. General expression for expected intensity of positive and negative soft muons in an atmospheric electric field	408
8.7.2. Expected variations of positive and negative soft muon intensity in an atmospheric electric field	408
8.7.3. Absorption part of atmospheric electric field influence on soft positive and negative muon intensity	409
8.7.4. Decay part of atmospheric electric field influence on soft positive and negative muon intensity	410
8.8. Expected atmospheric electric field effects in neutron monitor total counting rate and in different multiplicities	410
8.8.1. Possible atmospheric electric field effects in neutron monitor	410
8.8.2. Formation of lead mesoatoms in neutron monitor by soft negative muons	411
8.8.3. Dependence of lead mesoatoms formation in neutron monitor on cut-off rigidity and solar activity	412
8.8.4. Atmospheric electric field coefficients for total neutron monitor counting rate and for different multiplicities	413
8.8.5. AEF coefficients for NM on Mt. Hermon	414
8.9. First observations of atmospheric electric field effects in total neutron intensity and in different multiplicities	415
8.9.1. Simultaneous measurements of AEF effects in total neutron intensity and different multiplicities in the Emilio Segre' Observatory on Mt. Hermon	415
8.9.2. Measurements of AEF on Mt. Hermon; characteristics of thunderstorm periods	416
8.9.3. Data on electric field and cosmic ray observations	419
8.9.4. Regression relations between atmospheric electric field and counting rates of total neutron intensity and different multiplicities	419
8.9.5. Comparison of experimental results and theoretical predictions of AEF effects in NM total intensity and different multiplicities	422
Chapter 9. Development of the Theory and Methods of Determination of Cosmic Ray Variations of Atmospheric Origin	425
9.1. Determination of cosmic ray temperature effect by heights of isobaric levels	425
9.2. The first, second, and higher approximations in the integral method	425
9.2.1. The general formula for the n-th approximation for the integral method	425
9.2.2. Commonly used first approximation for the integral method	426
9.2.3. The second approximation for the integral method	427
9.2.4. The partial case of stable secondary component or when $\Delta T(h,t)=0$	429
9.3. Calculations of barometric coefficients for different neutron multiplicities and total neutron intensity	429
9.4. Calculations of barometric coefficients for frequency of external atmospheric showers	432
9.5. Theory of hard muon meteorological effects accounting the muon generation spectrum at pions decay	433
9.5.1. Muon generation spectrum at charged pions decay	433
9.5.2. Expected muon intensity at the level of observation	434
9.5.3. Comparison of theory with observations for muon energy spectrum, zenith angle distribution and altitude dependence of intensity	437
9.5.4. Calculations of barometric coefficients for ground and underground observations of hard muons	441
9.5.5. Calculations of temperature coefficients for ground and underground observations of hard muons	444
9.6. Development of the theory of soft muon meteorological effects	452

xvi **Lev Dorman *CR in the Atmosphere and Underground***

9.6.1. <i>Expected intensity and energy spectrum of soft muons</i>	452
9.6.2. <i>Calculations of barometric coefficients for soft muons</i>	454
9.6.3. <i>Calculations of temperature coefficients for soft muons</i>	456
9.6.4. <i>Temperature coefficients for soft muons with accounting the angle distribution at pions decay, and Coulomb scattering</i>	458
9.7. Theory of super-high energy muons temperature effects	464
9.7.1. <i>Expected muon spectrum in super-high energy region</i>	464
9.7.2. <i>Expressions for temperature effect of super-high energy muons</i>	467
9.7.3. <i>Calculations of temperature coefficients for observations of super-high energy muons</i>	468
9.8. Meteorological effects of integral multiplicities, partial coefficients, and interference of variations of different origin	471
9.8.1. <i>General theory of meteorological effects and classification of time variations</i>	471
9.8.2. <i>Partial meteorological coefficients</i>	472
9.8.3. <i>On the connection between partial and total meteorological coefficients</i>	473
9.8.4. <i>Theory of meteorological effects accounting the interference of variations of different origin</i>	474
9.9. CR meteorological coefficients for hard muons on the basis of 3-D model of meson-nuclear cascades in the atmosphere	475
9.9.1. <i>Determination of integral multiplicity for hard muons</i>	475
9.9.2. <i>Calculation of temperature effect of muon integral multiplicity</i>	477
9.10. The method of partial barometric coefficient	478
9.10.1. <i>Total and partial barometric coefficients</i>	478
9.10.2. <i>Determining of partial barometric coefficient by using data of total barometric coefficient at different cut-off rigidities</i>	479
9.10.3. <i>Calculation of partial barometric coefficient for total neutron component</i>	480
PART 3. COSMIC RAY INFLUENCE ON THE ATMOSPHERE AND ATMOSPHERIC PROCESSES	483
Preface to Part 3	484
Chapter 10. Nuclear Reactions of Cosmic Rays with Ground, Water, and Air Atoms; Production of Cosmogenic Nuclides	485
10.1. Production of stable and unstable cosmogenic nuclides in space, in bodies, and in atmospheres	485
10.2. Cosmogenic nuclides and vertical mixing of elements in the Earth's atmosphere; local cosmogenic coupling functions	486
10.2.1. <i>The production rate of cosmogenic nuclides in atmosphere, ground, and water</i>	486
10.2.2. <i>Calculations of cosmogenic nuclides production rate as a function of altitude and geomagnetic latitude</i>	487
10.2.3. <i>The vertical mixing of elements and integral cosmogenic multiplicity</i>	488
10.2.4. <i>Time-variations and local coupling functions for production rate of cosmogenic nuclides in the vertical column of the atmosphere</i>	489
10.2.5. <i>Expected changes of cosmogenic nuclides integral production rates in different latitudinal zones with variation of modulation parameter</i>	491
10.2.6. <i>Expected changes of cosmogenic nuclides integral production rates in different latitudinal zones with possible variation of the Earth's magnetic field</i>	492
10.2.7. <i>Expected cosmogenic nuclide contents in the vertical column of the atmosphere and its time-variations</i>	494
10.3. The planetary mixing in the atmosphere, variations in planetary cosmogenic nuclides production rate and planetary coupling functions	495
10.3.1. <i>Cosmogenic nuclides global production rate at the planetary mixing in the atmosphere</i>	495
10.3.2. <i>Time variation of planetary cosmogenic nuclides production rate</i>	496

CONTENTS

xvii

10.4. Two-reservoir model of elements exchange: the planetary contents of cosmogenic nuclides in the atmosphere and their time-variations	497
10.4.1. <i>General solution</i>	497
10.4.2. <i>Steady-state solution</i>	498
10.4.3. <i>Expected time variations of planetary cosmogenic nuclides contents from local supernova explosion</i>	499
10.4.4. <i>The inverse problem: estimation of local supernova explosion parameters by data on planetary cosmogenic nuclides contents</i>	500
10.4.5. <i>Expected time variations of planetary cosmogenic nuclides contents from cyclic variations of production rate</i>	501
10.5. Direct measurements of production rates of cosmogenic isotopes ^{10}Be , ^3He , and ^3H	502
10.6. Peculiarities and main results regarding to ^7Be	503
10.6.1. <i>Importance of cosmogenic isotope ^7Be investigations for space and atmospheric physics</i>	503
10.6.2. <i>Peculiarities of ^7Be production in atmosphere</i>	504
10.6.3. <i>Long-term variation of the concentration of ^7Be in the atmosphere (on the basis of yearly data)</i>	506
10.6.4. <i>Seasonal variations of ^7Be contents in atmosphere</i>	507
10.6.5. <i>Variation of ^7Be contents with rotation period of the Sun</i>	508
10.6.6. <i>Effect of SEP events in ^7Be contents</i>	510
10.7. Peculiarities and main results regarding to ^{10}Be	510
10.7.1. <i>Mean global ^{10}Be production rate in dependence of the solar activity level and of geomagnetic field intensity</i>	510
10.7.2. <i>On the sensitivity of ^{10}Be data to primary CR modulation, to the change of geomagnetic field, and to atmosphere mixing models</i>	511
10.7.3. <i>11-year variation of ^{10}Be concentration in ice and the problem of ^{10}Be planetary mixing</i>	513
10.7.4. <i>Reflection of 22-year helio-magnetic cycles in ^{10}Be concentrations in ice</i>	515
10.7.5. <i>Geomagnetic field changes during 1000AD–2000AD, circumpolar atmosphere motions, reflection in ^{10}Be concentrations in ice</i>	515
10.7.6. <i>Reflection in ^{10}Be data long term Heliospheric modulation in periods of low and high solar activity</i>	516
10.7.7. <i>Long term CR variations on the basis of ^{10}Be data</i>	517
10.7.8. <i>On the expected changes of ^{10}Be contents in polar ice caused by very great solar particle events</i>	519
10.7.9. <i>On the integral effective energy of primary CR to which are sensitive ^{10}Be and other cosmogenic nuclides</i>	519
Chapter 11. Cosmic Ray Influence on Atmospheric Electric Field and Thunderstorms, Global Earth's Charge and Global Electric Current	521
11.1. On two mechanisms of CR connection with thunderstorm discharges	521
11.2. Necessary conditions for atmospheric electric field discharges in the atmosphere	521
11.3. Measurements of atmospheric electric field, critical electric field, lightnings, and sprites	524
11.4. External Atmospheric Showers (EAS) generated by high energy CR particles and thunderstorm discharges	529
11.4.1. <i>EAS and inter-cloud discharges</i>	529
11.4.2. <i>EAS discharge mechanism and descending lightning (from cloud to ground)</i>	532

xviii **Lev Dorman *CR in the Atmosphere and Underground***

11.4.3. <i>EAS discharge mechanism and ascending lightnings (ground-to-cloud)</i>	534
11.4.4. <i>Application of EAS discharge mechanism to explanations of red sprites and blue jets</i>	534
11.4.5. <i>EAS discharge mechanism and thundercloud activity over oceans</i>	536
11.5. On the connection between CR intensity and discharged atmospheric electric current	536
11.6. On the connection between CR intensity and frequency of thunderstorm discharges; charged electric current	538
11.7. On the CR role in the equilibrium between charged and discharged global atmospheric electric currents, and in the supporting of the stability of the Earth's Charge	540
Chapter 12. Air Ionization by CR, Influence on the Ionosphere and Radio Wave Propagation	541
12.1. Observed disturbances in the ionosphere and interruptions in radio wave communications during great GLE of February 23, 1956	541
12.2. Expected ionization rate and radio-wave absorption for different SEP energy spectrums	543
12.3. Riometer measurements of polar absorptions as method of small energy solar CR monitoring	545
12.4. Galactic and solar CR influence on the low ionosphere: analytical approach	546
12.4.1. <i>Comparison of different ionizing agents</i>	546
12.4.2. <i>Analytical approach for protons</i>	546
12.4.3. <i>Analytical approach for nuclei with charge Z</i>	549
12.5. Expected ionization rates during GLE in October 1989, July 2000, and April 2001	552
12.5.1. <i>Differential proton fluxes in the range 15-850 MeV during three GLE</i>	552
12.5.2. <i>Expected ionization rates during three GLE</i>	554
12.6. The inverse problem: possible using of ionospheric measurements for estimation of galactic and solar CR variations	556
12.6.1. <i>How to use ionospheric data for galactic and solar CR research?</i>	556
12.6.2. <i>General expression for formatting of ionization rate profiles by CR of galactic and solar origin; ion production multiplicity</i>	556
12.6.3. <i>Temporal variations of the ionization rate $q(R_c, h)$ and determination of the ionospheric coupling coefficients for the nuclei Z</i>	557
12.6.4. <i>The total local and polar ionospheric coupling coefficients</i>	558
12.6.5. <i>The case of a constant chemical composition of CR</i>	559
12.6.6. <i>The set of the ionospheric spectrographic equations for continuous observations at several levels above a single point</i>	559
12.6.7. <i>The set of spectrographic equations for continuous observations of ionization rates above two points at two levels</i>	561
12.7. Altitude distribution of ionization in the troposphere and stratosphere owed by galactic CR and ion balance equation	561
12.8. Spatial and temporal changes of the ionization in the low atmosphere induced by galactic CR	565
12.8.1. <i>Importance of investigations induced by galactic CR ionization in the low atmosphere</i>	565
12.8.2. <i>The scheme of the step by step calculations of air ionization in the low atmosphere induced by galactic CR</i>	565
12.8.3. <i>The expected 3-D distribution air ionization in the low atmosphere and long term variations induced by galactic CR</i>	570

Chapter 13. Cosmic Ray Influence on the Chemical Processes in the Atmosphere and Formation of Ozone Layer	573
13.1. CR influence on the chemistry in the mesosphere	573
13.2. Nitrate abundances in Antarctic and Greenland snow and ice columns: information on FEP events in the past	575
13.3. Cumulative probabilities of the FEP events vs. their fluencies for > 30 MeV solar protons on the basis of nitrate abundances in Antarctic and Greenland ice columns, satellite data and cosmogenic isotopes in moon rocks	576
13.4. On the seasonal dependency of great FEP occurrence according to nitrate data in arctic polar ice	577
13.5. On the possible connection of nitrate enhancements with geomagnetic storms and auroras	578
13.6. Nitrate signals on the long term CR variations in the 415 year ice core record	579
13.7. CR influence on stratospheric chemistry	581
13.8. Long-term galactic CR influence on the ozone layer	582
13.9. On the possible relationship of atmospheric ozone dynamics with global auroral activity, CR Forbush effects, and IMF clouds	583
13.10. Short-term solar CR influence on the ozone layer	586
13.10.1. Discovery and modeling of GLE influence on the ozone layer	586
13.10.2. GLE in August 1972	586
13.10.3. GLE in July 2000	588
13.10.4. GLE in April 2001	590
13.11. Peculiarities of GLE influence on chemistry and ozone layer in the upper stratosphere and lower mesosphere	590
Chapter 14. Cosmic Ray Influence on Planetary Cloud-Covering and Long-Term Climate Change	591
14.1. Short historical review	591
14.2. On the connection of CR solar cycle variation with variation of planetary cloud coverage	593
14.3. On the possible influence of long-term CR variation on long-term changing of planetary surface temperature	596
14.4. CR influence on weather during Maunder minimum	597
14.5. Possible influence of solar activity/cosmic ray intensity long term variations on wheat prices (through weather changes) in medieval England	598
14.6. On the connection between integral rate of ion generation in atmosphere by CR and total surface of clouds	601
14.7. CR influence on precipitation in periods of great magnetic storms (Forbush – decreases) and great solar CR events	602
14.8. On the possible influence of geomagnetic disturbances and solar activity on the rainfall level through energetic particle precipitation from the inner radiation belt	603
14.8.1. On the possible influence on climate parameters particle precipitation from inner radiation belt	603
14.8.2. Comparison of Kp-index with rainfall level on the daily data basis	604

XX	Lev Dorman <i>CR in the Atmosphere and Underground</i>	
	14.8.3. <i>On the connection of the long term variations of annual rainfalls with variations of solar and geomagnetic activity</i>	605
	14.8.4. <i>On the difference of galactic and solar CR influence on climate parameters at middle and low latitudes</i>	607
	14.9. On the possible influence of galactic CR on formation of cirrus hole and global warming	607
	14.10. On the possible influence of long-term variation of main geomagnetic field on global climate change through CR cutoff rigidity variation	609
	14.10.1. <i>Expected CR intensity variation owed to cutoff rigidity change</i>	609
	14.10.2. <i>Long-term variation of cut-off rigidity planetary distribution during 1600-2000</i>	610
	14.10.3. <i>On the long-term change of cutoff rigidities and expected change of CR intensity owed to geomagnetic field variation</i>	613
	14.10.4. <i>The global cutoff rigidities and their change during the last 2000 years</i>	615
	14.11. Cosmic rays and the current trend of the global warming	618
	14.12. The Project CLOUD as an important step in understanding of the links CR–cloud formation–climate change	621
	14.13. Possible CR paths in atmosphere forming intermediate links between variable Sun and the Earth’s climate change	622
	14.14. On the possible role of CR in long-term climate and landscape change (e.g., Netherlands)	623
	PART 4. APPLICATIONS OF COSMIC RAY RESEARCH	625
	Preface to Part 4	626
	Chapter 15. The Application of the Inverse Problem: Determination of Atmospheric Conditions by Data on Cosmic Ray Meteorological Effects	627
	15.1. Determination of air temperature variations in upper atmosphere by data on underground muon component variations	627
	15.2. Determination of vertical distribution of air temperature by simultaneously measurements of several CR secondary components	628
	15.3. The use of spectrographic method to exclude geomagnetic and extraterrestrial variations	630
	15.4. Determination of altitudinal air temperature profile using CR data and ground temperature	632
	15.5. The general spectrographic method and inverse problem	633
	15.5.1. <i>The case of detection of three stable and one or several unstable cosmic ray components at a single point</i>	633
	15.5.2. <i>The case when all components are unstable; passive location of the variations in the vertical distribution of the atmospheric temperature</i>	635
	15.6. The continuous passive sounding of the variations in the vertical distribution of the atmospheric temperature and the air column mass over the observation level by means of CR	638
	Chapter 16. Meteorological Effects Application to Cosmic Ray Latitude Survey Data Processing	643
	16.1. Cosmic ray latitude surveys and meteorological effects	643

16.2. The Bernoulli effect on measurements of atmospheric mass for latitude surveys	645
16.3. Nature and evaluation of sea-state effect on the NM counting rate	647
16.4. Determination of atmospheric absorption, Bernoulli and sea-state effects in Antarctic region	649
16.4.1. Conditions for multi-correlation analysis	649
16.4.2. Multi-correlation analysis for NM data	650
16.4.3. Sea-state, Bernoulli and atmospheric absorption effects for NM detector	651
16.4.4. Sea-state, Bernoulli and atmospheric absorption effects for BC detector	654
16.4.5. Summarization of the results on the determination of Bernoulli, sea-state and atmospheric absorption effects for NM and BC detectors	656
16.5. The atmospheric absorption effect as a function of cut-off rigidity	657
16.5.1. Remarks on the atmospheric absorption effect of NM and BC	657
16.5.2. Analytical approximation of atmospheric absorption coefficient vs. cut-off rigidity	659
16.6. Corrections for temperature effect vs. time and cut-off rigidity	660
16.6.1. Temperature coefficient for neutron monitor vs. cut-off rigidity	660
16.6.2. Sea-level and vertical air temperature distributions vs. cut-off rigidity	662
16.6.3. Temperature corrections of NM-64 counting rate vs. cut-off rigidity	664
16.6.4. On the temperature effect in the counting rate of bare neutron counters	666
16.7. Correction of survey data for primary variations and all meteorological effects	666
16.7.1. Correction of survey data for primary variations	666
16.7.2. Determination of vertical atmospheric mass corrected for wind effect	666
16.7.3. Correction for sea-state effect	666
16.7.4. Correction for atmospheric absorption effect	668
16.7.5. Corrections for temperature effect	668
16.8. Application of CR meteorological effects to latitude survey research: summary and conclusions	668
Chapter 17. Applications of the Radiocarbon Coupling Function Method to Investigations of Planetary Mixing and Exchange Processes; Influence of H-Bomb Explosions on the Environment; Cosmic Ray Variations in the Past	671
17.1. Cosmogenic nuclides and radiocarbon method for CR variations, for geophysical and astrophysical research	671
17.2. Radiocarbon production rate in dependence of latitude, altitude, and level of solar activity; vertical mixing in the atmosphere and local coupling functions for radiocarbon	672
17.2.1. Production rate of radiocarbon in the Earth's atmosphere as a function of atmospheric depth and geomagnetic latitude	672
17.2.2. Vertical mixing of elements in the Earth's atmosphere, radiocarbon production rate in total vertical column	676
17.2.3. Radiocarbon production rate in vertical column of the atmosphere and their time variations	677
17.2.4. Calculations of local and polar radiocarbon coupling functions; analytical approximation for coupling functions	678
17.2.5. Expected variation of radiocarbon coupling functions during solar activity cycle	680
17.3. Planetary mixing in the atmosphere and the planetary coupling function for radiocarbon; analytical approximation and change with solar activity	682
17.3.1. Planetary mixing of elements in the Earth's atmosphere and planetary radiocarbon production rate	682
17.3.2. Time variations of planetary production rate and planetary radiocarbon coupling functions	684

xxii **Lev Dorman *CR in the Atmosphere and Underground***

17.3.3. Planetary radiocarbon magnetic and barometric coefficients	685
17.3.4. On the influence of the planetary mixing of elements on the time variation of radiocarbon production rate	686
17.3.5. Situation in the case of giant solar flare event or local supernova explosion	687
17.4. Radiocarbon contents and planetary elements exchange in the frame of 2-reservoir model	688
17.4.1. Radiocarbon contents in dated samples	688
17.4.2. Non-stationary solution for radiocarbon contents in the frame of 2-reservoir model of elements exchange on the Earth at any initial condition	688
17.4.3. Solution for the total contents of radiocarbon on the Earth	689
17.4.4. Steady-state solution for radiocarbon contents in both reservoirs on the Earth; relation between probabilities of elements exchange	690
17.4.5. Non-stationary solution at initial condition of stationary contents	691
17.5. H-bombs explosions, generation of radiocarbon, and estimation of parameters of the elements exchange model; influence on global environment	691
17.5.1. The reflection in radiocarbon production rate of H-bomb explosions taking into account vertical and planetary mixing	691
17.5.2. The H-bomb explosions effect in radiocarbon contents taking into account elements exchange between planetary reservoirs	692
17.5.3. Application to USSR and USA H-bombs explosions in 1962; estimation of total radiocarbon production	693
17.5.4. H-bomb explosions and parameters of 2-reservoir model of planetary exchange of elements on the Earth	694
17.5.5. Expected time variation of radiocarbon contents in atmosphere and in ocean owing to H-bomb explosions	694
17.6. The reflection of cosmic ray cyclic modulation in radiocarbon contents in the frame of 2-reservoir model of elements planetary exchange on the Earth	695
17.6.1. General solution for the planetary reservoir A	695
17.6.2. Very long-term and very short-term cyclic modulation of radiocarbon content in the atmosphere	696
17.6.3. The amplitude reducing and time lag in cyclic variation of radiocarbon contents in the atmosphere in dependence from frequency of CR modulation	697
17.6.4. Reflection of CR cyclic modulation in radiocarbon contents in the reservoir F	697
17.7. The reflection of CR burst from local supernova explosion in radiocarbon contents in the frame of 2-reservoir model of elements exchange	698
17.8. Radiocarbon contents in dated samples and planetary elements exchange in the frame of 5-reservoir model	699
17.8.1. The basic equations for 5-reservoir model	699
17.8.2. The solution for the total radiocarbon content on the Earth	700
17.8.3. The steady-state solution for the 5-reservoir model and estimation of the probabilities of the planetary exchange of elements	701
17.8.4. Non-stationary solution for the radiocarbon 5-reservoir model	
17.9. A short review on the research of CR variations and related phenomena in the past by radiocarbon method	705
17.9.1. Radiocarbon data	705
17.9.2. The radiocarbon method and CR variations in the past, caused by long-time changes of geomagnetic field	705
17.9.3. The radiocarbon method and grand solar activity minima	707
17.9.4. The radiocarbon method and solar activity cycles	710
17.9.4. Radiocarbon and ¹⁰ Be data related to possible local supernova explosions in the past	717
17.10. Summarize and perspectives of radiocarbon method	718

Chapter 18. Potential and Realized Applications of Cosmic Ray Research in Science and Technology	721
18.1. Possible CR applications in Meteorology and in Service of great airports	721
18.1.1. <i>The matter of the problem</i>	721
18.1.2. <i>Generalized spectrographic method and using CR data of different CR components</i>	721
18.2. Possible CR applications in Hydrology and Agriculture	723
18.2.1. <i>Using small CR detectors for automatic continuous measurements of snow mass in vertical column over detector and determining of total snow mass reserve in river basins (for Hydrology) and on the fields (for Agriculture)</i>	723
18.2.2. <i>Possible CR applications for Agriculture: using neutron counters for automatically continue measurements of water contents in soil by albedo neutrons generated underground by CR</i>	723
18.2.3. <i>Possible using of underwater CR detectors for automatically continuously measurements of level of river, lake, sea, ocean</i>	724
18.2.4. <i>Possible use of underground muon telescopes for automatic monitoring of the condition of different types of weirs</i>	724
18.3. Possible CR applications in research of atmospheric electric field phenomenon	724
18.4. CR applications in Geology and Geophysical Prospecting	725
18.4.1. <i>Peculiarities of secondary CR transport through the ground</i>	725
18.4.2. <i>Use of multi-directional muon telescopes inside tunnels, caves, streaks in mines</i>	726
18.4.3. <i>Possible use of special neutron monitor for underground searches</i>	729
18.4.4. <i>Use of special NM without lead for quick determination of the quality of ore</i>	730
18.4.5. <i>Use of special NM without lead for search in old mines or in acting mines</i>	731
18.5. CR applications in Environmental Science	731
18.5.1. <i>Using cosmogenic isotope data for estimation parameters of planetary mixing and exchange of chemical elements</i>	731
18.5.2. <i>CR applications for treating pollution of the Earth atmosphere, water, snow, and soils</i>	732
18.6. CR applications in Archeology	734
18.6.1. <i>Using multidirectional muon telescope inside pyramids or other historical objects for search for some peculiarities in the structure</i>	734
18.6.2. <i>The well known improvement of the radiocarbon method for the dating of important historical samples</i>	734
18.6.3. <i>Possible use of special neutron monitor without lead for searching some historical samples in soil</i>	734
18.7. Possible Forensic applications	734
18.7.1. <i>Using radiocarbon method for dating of samples important for criminal investigations</i>	734
18.7.2. <i>Use of special neutron monitor without lead in forensic science</i>	736
18.7.3. <i>Possible application of special neutron monitor without lead for searching cemeteries</i>	736
18.8. Possible CR applications for Navigation	736
18.9. CR data applications for the Physics of the Earth's magnetosphere	737
18.9.1. <i>Use of CR spectrographic method for continuous determination of magnetosphere equatorial ring current's properties</i>	737
18.9.2. <i>Using CR latitude surveys data for testing magnetosphere models</i>	738
18.10. CR data application for the Physics of Heliosphere	738
18.11. CR research and climate change: possible applications	738
18.12. CR research applications for space weather monitoring and forecasting	739
18.13. Application of regular CR measurements by radio balloons for environment monitoring of radioactive clouds from nuclear explosions or nuclear plant failures	740

18.14. Possible application of CR research to the problem of great earthquakes forecasting	742
18.14.1. <i>CR research on extraterrestrial causes of great earthquakes: neutron bursts from the Earth's crust at new and full Moon</i>	742
18.14.2. <i>CR research on extraterrestrial causes of great earthquakes: crossing of the neutral current sheet of IMF by the Earth and CR daily variations</i>	745
18.14.3. <i>CR research on internal causes of great earthquakes</i>	747
18.15. Experience in the research of CR in the Earth's atmosphere and underground: applications to CR interactions with the Sun, planets, and other solar system bodies	749
18.16. CR research applications to Human Health and Medicine, to the Problem of Car and Train Accidents	750
18.16.1. <i>Short historical review</i>	750
18.16.2. <i>Frequency of myocardial infarcts, brain strokes, and car accident road traumas in connection with CR Forbush-decreases</i>	750
18.16.3. <i>In what days of CR Forbush decrease there is sufficient influence on people health and car road accidents?</i>	752
18.16.4. <i>The train accidents in connection with CR Forbush decreases</i>	753
18.16.5. <i>The problem of the long-term variations of the train accident frequency in comparison with solar activity and CR intensity variations</i>	754
18.16.6. <i>Long-term variations of the myocardial infarctions, brain strokes, and train accident frequency in connection with sunspot number, CR intensity, tilt angle and number of geomagnetic storms</i>	756
18.16.7. <i>Discussion of obtained results and possible causes of the connection human diseases with CR intensity and other space weather parameters</i>	758
18.17. Application of CR research to the problem of satellite malfunctions	760
18.17.1. <i>Importance of the problem</i>	760
18.17.2. <i>Data cleaning and formation of database</i>	760
18.17.3. <i>Situations in October 1989 and April-May 1991 as examples of very high frequency of satellite malfunctions</i>	761
18.17.4. <i>Comparison of malfunctions in high (> 1000 km) and low (< 1000 km) altitude satellites</i>	762
18.17.5. <i>Peculiarities of 'Kosmos' satellite malfunctions</i>	763
18.17.6. <i>Seasonal variations of the number of satellite malfunctions</i>	764
18.17.7. <i>Clusterization of satellite malfunctions</i>	765
18.17.8. <i>On the connection of satellite malfunctions with Cosmic Ray Activity index; possible using of this index for forecasting</i>	766
18.17.9. <i>Influence of proton and electron fluxes on the satellite malfunction frequency in dependence of the type of satellite orbit; CR effects and peculiarities for forecasting</i>	766
Conclusion and Problems	771
References	775
Object Index	
Author Index	