

Cosmic Rays in Magnetospheres of the Earth and  
Other Planets, Springer, 2008  
by Lev Dorman

CONTENTS

	PAGES
<b>Preface</b>	<b>xxv</b>
<b>Acknowledgments</b>	<b>xxix</b>
<b>Frequently used Abbreviations and Notations</b>	<b>xxxii</b>
<b>Chapter 1. First Measurements of Cosmic Ray Geomagnetic Effects and the Problem of CR Nature</b>	
1.1. The first measurements of CR latitude effect in expeditions from Holland to Java and problems in their interpretation	
1.2. The first correct explanation of CR latitude survey results and nature of CR; Compton and Millikan's CR latitude surveys	
1.3. The first determination of planetary distribution of CR intensity at sea-level; longitude geomagnetic effect	
1.4. The first measurements of the CR latitude effect in the stratosphere	
1.5. East-West CR geomagnetic effect and determination of the sign of primary charged particles	
<b>Chapter 2. Cosmic Rays in the Dipole Geomagnetic Field</b>	
2.1. Dipole approximation of geomagnetic field and geomagnetic equator	
2.1.1. <i>Polar aurora and Störmer's theory</i>	
2.1.2. <i>Equations for particle moving in dipole field and their integrals</i>	
2.2. Principles of Störmer's theory	
2.3. Störmer's cone of forbidden trajectories	
2.4. Lemaitre and Vallarta CR allowed cones in the dipole geomagnetic field; existence of penumbra region	
2.5. Drift Hamiltonian for a dipole magnetic field	
2.5.1. <i>The matter of problem</i>	
2.5.2. <i>Drift Hamiltonian</i>	
2.5.3. <i>Three cases of the choice of parameters</i>	
2.5.4. <i>The conditions for drift approximation</i>	
2.6. Symplectic method for the tracing of CR particle motion in a dipole magnetic field	
2.6.1. <i>The matter of the problem</i>	
2.6.2. <i>Hamiltonian description of energetic charged particle motion in a dipole magnetic field</i>	
2.6.3. <i>Symplectic integration method of calculations</i>	
2.6.4. <i>Comparison with the standard RungeKutta method</i>	
2.7. Effective cutoff rigidity in dipole approximation	
2.8. Checking of dipole model by measurements of CR equator	
2.9. The checking of dipole model by direct cutoff rigidity measurements	
2.10. Checking of dipole model by data on CR variations	
2.11. Initial interpretations of the differences between CR and geomagnetic equators	

- 2.12. Impact zones, asymptotic directions and acceptance cones in the dipole magnetic field
- 2.13. Seasonal and daily variation of the position of impact zones in dipole approximation
- 2.14. Asymptotic accepted cones and expected counting rates of CR detectors; focusing properties of geomagnetic field

### **Chapter 3. Cosmic Rays in the Real Geomagnetic Field**

- 3.1. Inside and outer sources of real geomagnetic field; changing in time
- 3.2. Presentation of real geomagnetic field by series of spherical harmonics; Gauss coefficients
- 3.3. Relative role of spherical harmonics in formation of geomagnetic field from internal sources
- 3.4. Analytical methods of trajectory calculations in real geomagnetic field
  - 3.4.1. *General equation*
  - 3.4.2. *Störmer method*
  - 3.4.3. *Alfvén method*
  - 3.4.4. *Peculiarities at high latitudes; using Boltzmann equation*
  - 3.4.5. *The case of high CR energy density in the outer magnetosphere and the self-consistent nonlinear problem*
  - 3.4.6. *Regions of applicability of analytical methods*
- 3.5. Main methods of numerical calculation of charged particle trajectories in the real geomagnetic field
  - 3.5.1. *Gauss coefficients and expected accuracy of numerical calculation of trajectories in the real geomagnetic field; comparison with that expected for dipole field*
  - 3.5.2. *Störmer's method of numerical calculation of trajectories in dipole geomagnetic field: why it cannot be used for real geomagnetic field*
  - 3.5.3. *Method RungeKutta of fourth order for numerical calculations of CR trajectories in real geomagnetic field*
  - 3.5.4. *The choice of the value of the step of numerical integration: the Gill's modification*
  - 3.5.5. *Kelsall's modification of the RungeKutta method*
  - 3.5.6. *The Merson's modification of the RungeKutta method*
  - 3.5.7. *The stability of CR trajectory integration and control of accuracy*
  - 3.5.8. *Numerical CR trajectory integration in spherical geographical system of coordinates*
- 3.6. Asymptotic directions, impact zones and acceptance cones in geomagnetic field including the higher harmonics
  - 3.6.1. *Examples for different CR stations*
  - 3.6.2. *Classification of stations by their acceptance cones*
  - 3.6.3. *Acceptance cones for Russian and former Soviet net of stations*
  - 3.6.4. *Asymptotic directions for the world-wide net of CR stations*
  - 3.6.5. *Asymptotic directions for solar CR during some great events*
  - 3.6.6. *Asymptotic directions for several selected CR stations*
- 3.7. On the connection of CR cutoff rigidities in the real geomagnetic field with the  $L$ -parameter of McIlwain
  - 3.7.1. *Results for dipole field*
  - 3.7.2. *Results for trajectory calculations for quiet time*
  - 3.7.3. *Using the relation between  $R_C$  and McIlwain  $L$  – parameter for estimation of  $R_C$  variations during disturbed periods*
  - 3.7.4. *Estimation of  $R_C$  for any altitude on the basis of the relationship between  $R_C$  and  $L$*
  - 3.7.5. *Global rigidity cutoff maps based on the relation between  $R_C$  and  $L$*
  - 3.7.6. *Calculations of  $R_C$  and  $L$  for different models: comparison*
- 3.8. Planetary distribution of cut-off rigidities at altitude 20 km
  - 3.8.1. *Offset dipole and CR cutoff rigidity coordinates*
  - 3.8.2. *CR vertical cutoff rigidity planetary distribution for the epoch 1955.0*
  - 3.8.3. *CR vertical cutoff rigidity planetary distributions for epochs 1965.0 and 1975.0*

- 3.8.4. *The change of CR vertical cutoff rigidity planetary distribution during 20 years, from 1955 to 1975*
- 3.8.5. *CR vertical cutoff rigidity planetary distribution for epoch 1980.0*
- 3.8.6. *CR vertical cutoff rigidity planetary distribution for epoch 1990.0*
- 3.9. **CR effective cutoff rigidity planetary distribution for satellite altitudes**
- 3.10. **Cutoff rigidities for world-wide network of CR stations**
  - 3.10.1. *Calculations of cutoff rigidities for CR stations and checking by data on CR variations*
  - 3.10.2. *Comparison of different models of calculation*
  - 3.10.3. *Comparison of different models of geomagnetic field*
  - 3.10.4. *Cutoff rigidities for inclined directions*
- 3.11. **The CR penumbral effects in real geomagnetic field**
  - 3.11.1. *The CR penumbra in dependence of delineated value*
  - 3.11.2. *The concept of the first forbidden band in the CR penumbra*
  - 3.11.3. *Penumbral width in dependence of vertical cutoff rigidity for different epochs*
  - 3.11.4. *Effective vertical cut-off rigidities for different CR detectors and types of CR variations*
- 3.12. **CR rigidity transmittance functions**
  - 3.12.1. *The concept of the transmittance function and two methods of their calculation*
  - 3.12.2. *The dependence of transmittance function calculation accuracy from the delineated value*
  - 3.12.3. *The dependence of transmittance function calculation accuracy from the number of azimuthal directions*
  - 3.12.4. *On the influence of ionization losses on the transmittance function*
  - 3.12.5. *On the checking of the theoretically calculated CR rigidity transmittance functions by balloon experiments*
  - 3.12.6. *On the checking of the theoretically calculated CR rigidity transmittance functions by satellite experiments*
  - 3.12.7. *Transmittance function approach to disentangle primary from secondary CR fluxes in the penumbra region*
- 3.13. **Obliquely incident particles and apparent cutoff rigidities**
- 3.14. **Simulation of the geomagnetic cut-off rigidity angle distribution with GEANT-3 computing program using the data on International Geomagnetic Reference Field**
  - 3.14.1. *Importance of the exact knowledge of the CR cutoff rigidity angle distribution for the problems of atmospheric neutrino and other secondary particles generated in the Earth's atmosphere*
  - 3.14.2. *The using back tracking method for the precise calculation of the geomagnetic cut-off rigidities*
  - 3.14.3. *Calculations and results for the CR geomagnetic cutoff*
  - 3.14.4. *Comparison with AMS measurements of the geomagnetic cutoff on Shuttle*
- 3.15. **Geomagnetic field influence on secondary CR generated and propagated in the atmosphere**
  - 3.15.1. *On the possible geomagnetic effects in secondary CR*
  - 3.15.2. *The main conditions for calculations and principal sources*
  - 3.15.3. *Expected ratios of secondary CR neutrons to muons with and without allowance for the geomagnetic field*
  - 3.15.4. *Expected differential energy spectra  $N(E)$  of secondary neutrons and muons at sea level and at  $H = 5$  km from primary CR protons with energy 3 and 10 GeV according to calculations with and without geomagnetic field influence on their propagation in the atmosphere*
  - 3.15.5. *Differential energy spectra of neutrons, protons, charged pions and muons at sea level and altitudes 5, 10, 15 km generated from primary protons with energies 3 and 10 GeV according to calculations with account of geomagnetic field influence on secondary CR particles propagation*
  - 3.15.6. *On the detector's integral multiplicity with account of geomagnetic field influence on secondary CR particles propagation*
  - 3.15.7. *On the checking of geomagnetic field effects on the secondary CR during their propagation in the atmosphere by the data from high-latitude CR stations*
- 3.16. **On the influence of IMF on the CR entry into the Earth's magnetosphere**
  - 3.16.1. *The matter of problem*
  - 3.16.2. *The MHD model of magnetosphere for different IMF conditions*

- 3.16.3. *Calculations of CR particle trajectories*
- 3.16.4. *Particle distribution in velocity space*
- 3.16.5. *How the magnetosphere reaches a quasi-steady configuration consistent with each IMF direction*
- 3.16.6. *Calculation results for IMF in a southward orientation*
- 3.16.7. *Calculation results for IMF in a dawn-ward orientation*
- 3.16.8. *Calculation results for IMF in a northward orientation*
- 3.16.9. *Comparison of the time dependent and time independent cases*
- 3.16.10. *On the energy change of particles entered inside magnetosphere*
- 3.16.11. *Demonstration of the magnetospheric configuration's control of the entry of high energy particles*
- 3.16.12. *On the  $^3\text{He}$  ion trajectories for southward IMF*
- 3.16.13. *Main results and discussion*
- 3.17. **0.1-50 MeV proton propagation through the Earth's bow shock, magneto-sheath, and magnetopause inside magnetosphere**
  - 3.17.1. *The matter of problem*
  - 3.17.2. *Three categories of energetic protons incoming to the Earth*
  - 3.17.3. *Energetic protons propagation through bow-shock with shock drift acceleration*
  - 3.17.4. *Energetic particles propagation through bow-shock with diffusive shock acceleration*
  - 3.17.5. *MHD simulation*
  - 3.17.6. *The grid system for simulation*
  - 3.17.7. *The efficiency of the shock drift acceleration*
  - 3.17.8. *Calculation of proton trajectories for three regions*
  - 3.17.9. *Results for the shock drift acceleration at the bow shock (case A)*
  - 3.17.10. *Energetic particle entry into the magnetosphere and expected polar map of proton precipitation at  $4 R_e$  (case A)*
  - 3.17.11. *Relation between proton entry and shock drift acceleration*
  - 3.17.12. *Statistical results for proton entry and shock drift acceleration*
  - 3.17.13. *Results for large solar wind density increase (case B)*
  - 3.17.14. *Comparison between cases A and B*
  - 3.17.15. *Discussion on the main results and observational evidences*

## **Chapter 4. Cosmic Ray Planetary Surveys on Ships, Trains, Tracks, Planes, Balloons and Satellites**

- 4.1. **CR latitude surveys by Japanese expeditions in 1956–1962 to Antarctica on the ship Soya**
  - 4.1.1. *The routes and CR apparatuses in Japanese and some previous latitude surveys*
  - 4.1.2. *Corrections of Japanese CR latitude surveys data on barometric effect and world-wide CR variations*
  - 4.1.3. *Data-base of Japanese CR latitude surveys*
  - 4.1.4. *Geomagnetic latitude CR curves for neutron and muon components*
  - 4.1.5. *CR equator according to measurements in Japanese expeditions*
  - 4.1.6. *Longitude effect along the CR equator*
  - 4.1.7. *The position of latitude knee according to Japanese expeditions*
  - 4.1.8. *Planetary distribution of CR neutron intensity*
- 4.2. **Sweden – USA latitude surveys during 1956 – 1959 in connection with International Geophysical Year**
  - 4.2.1. *Latitude surveys and the problem of CR cutoff rigidities*
  - 4.2.2. *CR equator along the longitude  $14^\circ W$*
  - 4.2.3. *Dependences of CR intensity from the cutoff rigidity*
- 4.3. **CR latitude surveys by Canadian expeditions in 1965-1966**
  - 4.3.1. *Three Canadian CR latitude surveys, routes and using apparatuses*
  - 4.3.2. *Main results for expedition at summer 1965*
  - 4.3.3. *CR latitude survey in Canada in November - December 1965*
  - 4.3.4. *CR latitude survey in Western USA and Hawaii in summer 1966*
  - 4.3.5. *Calibrated and extended measurements of CR intensity on the aircraft at different altitudes and at different cutoff rigidities*
  - 4.3.6. *Geographically smoothed geomagnetic cutoffs rigidities*
  - 4.3.7. *Final analysis of three Canadian CR latitude survey data*

- 4.3.8. *CR latitude effects on different altitudes*
- 4.3.9. *Comparison of latitude curves for neutron intensity in two minimums of solar activity in 1954-1955 and 1965-1966*
- 4.4. **NM surveys in the Southern Ocean**
  - 4.4.1. *Main results on latitude survey 1994-1995; discover of Sea State CR effect*
  - 4.4.2. *CR spectra deduced from neutron monitor surveys*
  - 4.4.3. *Apparent geomagnetic cutoffs and the CR anomaly in the Cape Town region*
  - 4.4.4. *Using He-3 neutron counters for neutron component measurements; CR latitude survey in 1998-1999*
  - 4.4.5. *Latitude survey observations of neutron multiplicities*
  - 4.4.6. *A continuing each year NM latitude surveys: main results from 1994-2001*
- 4.5. **Latitude surveys of environmental radiation and soft secondary CR components by Italian expeditions to Antarctica**
  - 4.5.1. *Environmental radiation and soft secondary CR monitoring along the course of the expeditions from Italy to Antarctica and return*
  - 4.5.2. *The environmental radiation and soft secondary CR detectors*
  - 4.5.3. *Measured spectra of environmental radiation*
  - 4.5.4. *Latitude dependences of environmental radiation in the 50-3500 keV energy band*
  - 4.5.5. *Observations of transition sea-to-land effects and 'Radonic storms' in the environment radiation during latitude surveys*
  - 4.5.6. *Latitude effects of the soft secondary CR components in the energy ranges 2.8-5.0 and 5-20 MeV*
  - 4.5.7. *The main results obtained during latitude surveys of environment radiation and soft secondary CR components*
- 4.6. **Daily CR latitude curves derived from the NM world-wide network data**
  - 4.6.1. *The main idea of the method developed by Italian scientists*
  - 4.6.2. *The daily sea-level CR latitude curves obtained from the NM worldwide network and CR latitude surveys*
  - 4.6.3. *Using CR latitude surveys data for NM calibration*
  - 4.6.4. *The using of daily sea-level CR latitude curves for studying of large Forbush decreases spectral structure*
  - 4.6.5. *The using of daily sea-level CR latitude curves for studying of the long-term CR spectral variations*
  - 4.6.6. *The comparison of CR latitude curves for long-term and Forbush decreases CR spectral variations*
  - 4.6.7. *The using of daily sea-level CR latitude curves for studying the influence of the primary CR modulation on the attenuation coefficient of the nucleonic component at different latitudes and altitudes*
  - 4.6.8. *The using of daily CR latitude curves for studying the influence of the primary CR modulation on the coupling functions of the nucleonic component at sea level and at altitude ~1900 m a.s.l.*
  - 4.6.9. *Latitude and altitude dependences of primary modulation effects in the neutron multiplicity distribution in the NM-IQSY*
- 4.7. **CR latitude surveys over the territory of the former USSR**
  - 4.7.1. *CR intensity distribution over the territory of the former USSR*
  - 4.7.2. *Latitude curves of neutron intensity and cutoff rigidities*
  - 4.7.3. *Coupling functions for neutron component at sea level*
  - 4.7.4. *Coupling functions for neutron component at mountain level*
  - 4.7.5. *Calculation of the integral multiplicity for the neutron component*
  - 4.7.6. *The CR telescope data; the methods for treating the experimental data*
  - 4.7.7. *Cutoff rigidities for CR telescope: vertical and inclined directions*
  - 4.7.8. *Latitude curves for the CR telescope*
  - 4.7.9. *Amplitudes of latitude effects of various components measured by CR telescope*
  - 4.7.9. *The East-West CR asymmetry*
  - 4.7.10. *Coupling functions and integral multiplicities for total ionizing and hard CR components derived from latitude curves*
  - 4.7.11. *Latitude surveys and coupling functions for without lead neutron monitor*
  - 4.7.12. *The airplane CR latitude surveys over former USSR at altitudes with pressure of 260 – 400 mb*
  - 4.7.13. *The balloon CR latitude surveys over former USSR*
  - 4.7.14. *The balloon measurements over the former USSR of East-West CR asymmetry: Estimation of the upper limit for antiproton/proton ratio*

#### 4.8. Soviet CR survey expeditions over the World on the ship ‘Kislovodsk’

4.8.1. *CR latitude survey during December 1967 - March 1968*

4.8.2. *Determining of coupling functions*

4.8.3. *Determining of CR equator at 28° W*

#### 4.9. Soviet CR survey expeditions over the World on the r/v ‘Academician Kurchatov’

4.9.1. *Regular CR latitude measurements on the r/v ‘Academician Kurchatov’*

4.9.3. *The normalizing of the world-wide network of CR stations on the basis of CR latitude surveys by r/v ‘Academician Kurchatov’*

4.9.4. *Determining of integral multiplicities*

4.9.5. *Determining of the primary spectrum of long-term CR variation*

4.9.6. *Comparison of coupling functions derived from CR latitude services with theoretical expected*

4.9.7. *Using CR latitude surveys by r/v ‘Academician Kurchatov’ for checking of the cutoff rigidities models*

4.9.8. *Estimation of coupling functions for total neutron component and different multiplicities*

4.9.9. *Main results of r/v ‘Academician Kurchatov’ expeditions in 1971-1972 and 1975: checking of cutoff rigidities and determining of coupling functions*

4.9.10. *Main results of r/v ‘Academician Kurchatov’ expedition in 1982: determining of coupling functions for without lead NM and for NM-IQSY total intensity and different multiplicities; distribution function of multiplicities in dependence of cutoff rigidity*

#### 4.10. CR latitude-altitude surveys and secondary CR dependences from cutoff rigidity and atmospheric depth

4.10.1. *Latitudinal and altitudinal coupling coefficients: nomination and interconnection*

4.10.2. *Latitude dependence of secondary CR variations*

4.10.3. *Altitude dependencies of secondary variations*

4.10.4. *Determination of the spectrum of the primary CR variations*

#### 4.11. The latitude knee of secondary CR

4.11.1. *The latitude knee of secondary CR and its origin*

4.11.2. *The calculation model of the secondary CR knee position*

4.11.3. *The latitude knee of the nucleonic component at sea level*

4.11.4. *The latitude knee of the muon component at sea level*

4.11.5. *The altitude dependence of the knee for nucleonic and muon components*

4.11.6. *Comparison with experimental data on the CR latitude knee for nucleonic component at sea level*

4.11.7. *Comparison with experimental data on the CR latitude knee for muon component at sea level*

4.11.8. *Comparison with experimental data on the CR muon latitude knee at an atmospheric depth of 310 g/cm<sup>2</sup>*

#### 4.12. South African latitude surveys on different altitudes by airplanes

4.12.1. *South African expeditions, response functions and 22-year modulation*

4.12.2. *Latitude distributions of CR components at sea level and at airplane altitudes in the South African magnetic anomaly*

4.12.3. *Cutoff rigidities and latitude dependence of muons at 307 g/cm<sup>2</sup> in inclined directions*

#### 4.13. Latitude CR surveys on balloons

4.13.1. *Survey of CR intensity in 86°N to 73°S geomagnetic latitude on balloons*

4.13.2. *Latitude surveys by balloon measurements of CR vertical intensity and east-west asymmetry; determining energy spectrum and charge sign of primary CR*

### **Chapter 5. Main Results of Cosmic Ray Survey to Antarctica on the Ship ‘Italia’ in 1996-1997**

#### 5.1. Description of using apparatuses, trajectory calculations of cut-off rigidities in real geomagnetic field along the way of ship

5.1.1. *Importance of obtaining exact data in CR latitude surveys*

5.1.2. *Principles of the data corrections method*

5.1.3. *Description of the Experiment*

5.1.4. *The recorded data and acquisition system*

5.1.5. *Quality assurance procedures: presurvey and postsurvey measurements*

5.1.6. *The latitude survey: route and main results*

5.1.7. *The quality assurance procedures and internal tests*

- 5.2. Correction for primary CR variations and summary of all corrections
  - 5.2.1. Primary isotropic time variations.
  - 5.2.2. Corrections for primary North-South asymmetry of CR distribution in the interplanetary space
  - 5.2.3. The summing of all corrections including meteorological effects
  - 5.2.4. Quality assurance procedure: internal comparison of corrected data
  - 5.2.5. Critical consideration of results described in Sections 5.1 and 5.2.1-5.2.4.
- 5.3. Computation of cutoff rigidities for latitude survey
- 5.4. Dependencies of corrected CR intensities upon cutoff rigidity
- 5.5. Forward-backward effect: CR East-West asymmetry and asymmetric distribution of neutron absorption and generation around the monitor
  - 5.5.1. Forward-backward effect during CR latitude survey: asymmetry in cutoff rigidities
  - 5.5.2. Contribution of nonvertical incidence particles to 3NM counting rate
  - 5.5.3. Forward-backward effect during CR latitude survey: expected asymmetry in neutron intensities
- 5.6. CR intensity versus cutoff rigidity, analytical approximation, and coupling functions for the 3NM and 2BC detectors
  - 5.6.1. Analytical description of the dependence of the 3NM and 2BC intensities on the vertical cutoff rigidity
  - 5.6.2. Analytical description of coupling functions for the 3NM and 2BC detectors
- 5.7. Apparent cutoff rigidities along the ship route and related coupling functions for the 3NM and 2BC detectors
  - 5.7.1. Calculation of apparent cutoff rigidities  $R_{cp}^{ap}$  along the ship route
  - 5.7.2. Comparison of latitude dependencies and coupling functions for effective  $R_{cp}$  and apparent  $R_{cp}^{ap}$  cutoff rigidities
- 5.8. Summary of results on the CR latitude survey on the ship "Italia" and discussion on coupling functions

## **Chapter 6. On the Role of Galactic, Solar, and Anomalous CR in Formation of Radiation Belts and Ring Currents; Generation of Local CR in the Earth's Magnetosphere**

- 6.1. The Earth's magnetosphere structure and the general pattern of formation, propagation and acceleration processes
  - 6.1.1. The Earth's magnetosphere as the nearest natural laboratory of energetic particles behavior in space plasma
  - 6.1.2. Magnetosphere structure and the general pattern of magnetospheric processes
  - 6.1.3. Types of plasma instabilities in the Earth's magnetosphere
  - 6.1.4. Large-scale electric fields in the Earth's magnetosphere
  - 6.1.5. The energy transfer from the solar wind to the Earth's magnetosphere
- 6.2. The Earth's magnetosphere as space magnetic trap for energetic particles
  - 6.2.1. Main characteristics of the trapped radiation
  - 6.2.2. The angle frequency of reflections
  - 6.2.3. The angle frequency of azimuthally drift
  - 6.2.4. On the connection between intensity and angle distribution of trapped particles in dependence of latitude along the magnetic line
  - 6.2.5. On the dynamic of particle distribution in dependence of altitude and along the force magnetic tube
- 6.3. The time life of particles in the magnetic trap of dipole type
  - 6.3.1. The time life of high energy protons in the outer and inner radiation belts
  - 6.3.2. The life time and radial distribution of high energy proton fluxes
  - 6.3.3. The life time of small energy protons
  - 6.3.4. The life time of electrons
  - 6.3.5. An additional mechanism of decreasing of the life time of protons and electrons

- 6.4. On the sources of energetic particles in the Earth's magnetic trap
  - 6.4.1. *Internal source of the trapped energetic particles*
  - 6.4.2. *The outer source of the trapped energetic particles*
  - 6.4.3. *Source of energetic particles as accelerated inside the Earth's magnetic trap (generation of magnetospheric CR)*
- 6.5. Experimental evidences concerning particle acceleration in the Earth's magnetosphere
  - 6.5.1. *Particle acceleration in the magnetosphere and polar auroral zones*
  - 6.5.2. *Generation in the auroral zone of X and gamma rays by electrons accelerated in the Earth's magnetosphere*
  - 6.5.3. *Experimental evidence concerning the possibility of the convective transfer of energetic particles from interplanetary space into the Earth's magnetosphere, followed by particle acceleration*
  - 6.5.4. *The data indicating to magnetospheric acceleration and particle precipitation during magnetic disturbances*
  - 6.5.5. *Semiannual variation in the number of electron precipitation events and its connection with geomagnetic activity*
  - 6.5.6. *Ionospheric effects of the particles accelerated in the magnetosphere*
  - 6.5.7. *Observations of particles accelerated in the region bow shock and magnetosheath of the Earth's magnetosphere*
  - 6.5.8. *Spatial dependence of acceleration efficiency at the Earth's bow shock*
- 6.6. Magnetospheric CR generation by hydro-magnetic waves in the outer radiation belt
- 6.7. Particle transfer in the magnetosphere to *L*-shells closer to the Earth and betatron acceleration
- 6.8. Particle acceleration in the magnetosphere by hydro-magnetic and magnetosonic waves and by electromagnetic radiation
- 6.9. Particle acceleration in the magnetosphere on the double electric layers and on the fronts of electrostatic waves
- 6.10. Field-aligned currents in the magnetosphere and acceleration of charged particles during magnetic storms and substorms
  - 6.10.1. *The mechanisms of magnetic storms and substorms relevant to the acceleration processes*
  - 6.10.2. *The field-aligned electric fields in the magnetosphere and the mechanisms of their generation*
  - 6.10.3. *The acceleration processes relevant to the electric fields-aligned magnetic fields*
- 6.11. The mechanisms of magnetospheric acceleration of charged particles up to high energies
- 6.12. Particle acceleration in the magnetospheric tail
  - 6.12.1. *Possible acceleration processes in the magnetospheric tail*
  - 6.12.2. *The magnetic and plasma conditions in the magnetospheric tail relevant to particle acceleration*
  - 6.12.3. *Accelerated particle fluxes in the magnetospheric tail*
- 6.13. Acceleration processes at low altitudes in the magnetosphere and directly in the ionosphere
  - 6.13.1. *Observational data on the acceleration processes in the magnetosphere at low altitudes and in the ionosphere*
  - 6.13.2. *Possible acceleration processes in the ionosphere and at low altitudes in the magnetosphere*
  - 6.13.3. *Electric fields produced in the ionosphere due to the gravitational tidal action of the Moon*
  - 6.13.4. *Generation of the vertical component of local ionospheric electric field*
  - 6.13.5. *Downstream energetic ions flux generated after sunset (owed to rapidly varying pressure gradients)*
  - 6.13.6. *Generation of ionospheric He<sup>+</sup> energetic ions*
- 6.14. Auroras and the magnetospheric-ionospheric acceleration processes
  - 6.14.1. *Fields and accelerated particles in auroral zones*
  - 6.14.2. *Auroral acceleration processes and current systems*

## 6.15. The trapping of anomalous cosmic rays (ACR) in the Earth's magnetosphere

- 6.15.1. *On the stability of ACR trapping in the magnetosphere*
- 6.15.2. *ACR oxygen ions at  $E < 40$  MeV/nuc inside the magnetosphere*
- 6.15.3. *The comparison of energy spectra of interplanetary and trapped anomalous CR*
- 6.15.4. *Trapped Oxygen, Neon, and heavier nuclei of ACR measured on the NASA satellite Long Duration Exposure Facility (LDEF)*
- 6.15.5. *Trapped Oxygen and Neon of ACR measured by MAST, HILT, and LICA sensors on satellites SAMPEX*
- 6.15.6. *Numerical studies of the geomagnetic trapping of ACR*
- 6.15.7. *Geomagnetically trapped ACR at solar minimum and variation with solar cycle*
- 6.15.8. *On the isotopic composition of ACR populations: trapped, geomagnetically filtered, and interplanetary*

## 6.16. The formation and trapping He and H isotopes in the Earth's magnetosphere

- 6.16.1. *Helium flux dynamics in the inner magnetosphere*
- 6.16.2. *Helium ion spatial distribution and possible connection with geomagnetic activity*
- 6.16.3. *Time evolution of monthly averaged L-distributions*
- 6.16.4. *The energy spectrum of He ions*
- 6.16.5. *The nuclear source of inner zone He ions*
- 6.16.6. *Isotopic composition of trapped He*
- 6.16.7. *H isotopes D and T in the inner magnetosphere*
- 6.16.8. *Energy spectra and ratios of trapped light isotopes*
- 6.16.9. *Energy spectra of geomagnetically trapped light isotopes measured by NINA-2 instrument*

## 6.17. Trapping of high-energy electrons in the magnetosphere

- 6.17.1. *Measurements of spectrum and pitch-angle distribution*
- 6.17.2. *Injection and fast -radial diffusion of energetic electrons into the inner magnetosphere*
- 6.17.3. *High energy (15-200 MeV) electrons and positrons in stationary and unstable electron radiation belts*
- 6.17.4. *Electron radiation belt response to the solar wind variations*
- 6.17.5. *Electron radiation belt during great magnetic storm March 24, 1991*

## 6.18. High-energy trapped positrons in the magnetosphere

## 6.19. Three-dimensional model of the electron radiation belt at high energies; accounting of electron synchrotron losses

- 6.19.1. *The matter of problem*
- 6.19.2. *Numerical solution of diffusion equation*
- 6.19.3. *Taking into account synchrotronic radiation energy losses*
- 6.19.4. *Expected L-dependencies of high energy electron fluxes with and without account synchrotronic radiation energy losses*
- 6.19.5. *Expected energetic electrons spectra with and without electron synchrotron losses*

## 6.20. Electrons and positrons with $E > 200$ MeV trapped in the Earth's radiation belts

- 6.20.1. *Measurements of high energy electrons and positrons in the Earth's radiation belts*
- 6.20.2. *The AMS detector on ISS and the STS-91 on the shuttle Discovery flights*
- 6.20.3. *Under-cutoff lepton fluxes*
- 6.20.4. *Interpretation of electron/positron belts with an adiabatic approach*
- 6.20.5. *Leptons with  $E > 200$  MeV trapped in the Earth's radiation belts observed with the AMS experiment on the boundaries of the SAA*

## 6.21. High rigidity trapped protons with $R > 400$ MV in near Earth belts according to the AMS experiment

- 6.21.1. *Measurements of high energy protons in the Earth's radiation belts*
- 6.21.2. *AMS and the STS-91 flights*
- 6.21.3. *Under-cutoff proton fluxes*
- 6.21.4. *Interpretation of proton belts with an adiabatic approach*
- 6.21.5. *Protons with energy  $E > 70$  MeV trapped in the Earth's radiation belts*

## 6.22. Formation of antiproton radiation belt

- 6.22.1. *The matter of problem*
- 6.22.2. *Antiproton production spectrum from interactions of high energy CR protons with atoms H, He, and O*

- 6.22.3 *Expected antiproton production spectra in the Earth's magnetosphere and in the interstellar space*
- 6.22.4 *Expected interstellar antiproton flux and comparison with observations*
- 6.22.5 *The Earth's antiproton radiation belt*
- 6.22.6 *Spatial distribution of proton and antiproton fluxes at 400 km altitude*
- 6.23. Heavy energetic ions trapped in the Earth's magnetosphere
- 6.24. The possibility of energetic particles escaping from the Earth's magnetosphere into the interplanetary space
  - 6.24.1. *Escaping through charge exchange reactions*
  - 6.24.2. *Evidences of escaping*
- 6.25. Electromagnetic radiation accompanying the particle acceleration and trapping in the Earth's magnetosphere
  - 6.25.1. *Ionization, heating, and excitation during the arrival of magnetospheric energetic particles into the atmosphere*
  - 6.25.2. *Generation of bremsstrahlung radiation by magnetospheric energetic electrons*
  - 6.25.3. *Generation of synchrotron and Cherenkov radiations by magnetospheric energetic particles*
  - 6.25.4. *Generation of electro-magnetic radiation as a result of the interactions of magnetospheric energetic particles with plasma waves and of the beam instability development*
  - 6.25.5. *Integral low-frequency radio emission from the Earth's magnetosphere and comparison with radio emissions from other planets*
- 6.26. Formation of ring current, its ion composition, spatial and temporal variations
  - 6.26.1. *The matter of problem*
  - 6.26.2. *The data from MICS instrument on the CRRES satellite*
  - 6.26.3. *Temporal variations of the ring current ions*
  - 6.26.4. *Equatorial distribution of ring current ions and asymmetry*
  - 6.26.5. *Contributions of ion composition in ring current*
  - 6.26.6. *Ring current formation*
  - 6.26.7. *Composition's variation in ring current during magnetic storms*
  - 6.26.7. *Asymmetric ring current*
  - 6.26.8. *Main results on ring current ion composition and variations*
- 6.27. Analytical model of magnetosphere and magnetospheric currents on the basis of MHD approach
  - 6.27.1. *The matter of problem*
  - 6.27.2. *Analytical model of the Earth's magnetosphere*
  - 6.27.3. *Comparison with observations*
  - 6.27.4. *Modeling of the Earth's magnetospheric currents*

## **Chapter 7. Geomagnetic Variations of Cosmic Rays and Checking by CR of Magnetospheric Models**

- 7.1. Two main sources of CR geomagnetic variations
- 7.2. CR variations expected for large long-term changes of the geomagnetic field
  - 7.2.1. *Expected CR variations caused by changing of the Earth's dipole magnetic moment*
  - 7.2.2. *Variations of geomagnetic origin during the last 2000 years*
  - 7.2.3. *Secular variations of the cutoff rigidities*
- 7.3. Trajectory calculations of long-term variation of planetary distribution of cutoff rigidities
  - 7.3.1. *Results for 1600-2000 by the step 50 years*
  - 7.3.2. *An example of cutoff variability on CR station LARC during 1955-1995 in connection with geomagnetic 'jerks'*
  - 7.3.3. *Long-term variations of the planetary distribution of the geomagnetic rigidity cutoffs during the last 2000 years*
  - 7.3.4. *Long-term variations of vertical cutoff rigidities for CR stations during 1955-1995*
- 7.4. Long-term change of cutoff rigidities and expected change of CR intensity owed to geomagnetic field variation

- 7.5. The global cutoff rigidities and their change during the last 2000 years
- 7.6. Effects of axially symmetric currents in the magnetosphere: the provisional assessment of the causes of variations in cutoff rigidities during magnetic storms
  - 7.6.1. *Development of models of the axially symmetric currents influence on CR cutoff rigidities*
  - 7.6.2. *The CR vertical cutoff rigidities in the presence of a thin equatorial ring current*
  - 7.6.3. *The CR cutoff rigidities for obliquely incident particles in the presence of a thin equatorial ring current*
- 7.7. Influence of current sheets-surfaces on the CR geomagnetic cutoff rigidities
  - 7.7.1. *Current sheet in the form of a spherical surface*
  - 7.7.2. *Current sheet formed by rotating a line of force of the magnetic dipole.*
- 7.8. The effect of volume currents in the radiation belts (Akasofu and Chapman model) on the CR cutoff rigidity
- 7.9. The influence of ring currents on the position of CR impact zones and asymptotic directions
- 7.10. Effect of compression of the magnetosphere (current system of eastern direction) on CR cutoff rigidities
- 7.11. Effect of compression of the magnetosphere and western current systems on CR asymptotic directions and the acceptance cones
- 7.12. Asymmetric variations of the magnetosphere and diurnal CR variations of geomagnetic origin
- 7.13. Oscillation of the asymptotic acceptance cones
- 7.14. The first observations of CR variations due to changes in the geomagnetic field
  - 7.14.1. *Unusual increases during magnetic storms*
  - 7.14.2. *Application of the method of coupling coefficients*
  - 7.14.3. *The latitude-longitude distribution of the CR increase effect of September 13, 1957*
  - 7.14.4. *The latitude-longitude distribution of the CR increase effect at February 11, 1958*
  - 7.14.5. *Main properties of the CR intensity increase during the main phase of a magnetic storm*
  - 7.14.6. *Statistical properties of the CR increase effect during the main phase of the geomagnetic storm*
  - 7.14.7. *Possible influence of small magnetic perturbations on cosmic rays*
  - 7.14.8. *Earlier detection of the effect of compression of the magnetosphere in cosmic rays*
  - 7.14.9. *Earlier direct observations of the cutoff variations by means of measurements on balloons and satellites and from polar cap absorptions*
- 7.15. Variations of the geomagnetic field and local CR anisotropy
  - 7.15.1. *The asymmetry in the variation of the CR cutoff rigidity for East-West directions in Ahmadabad and North-South directions in Moscow*
  - 7.15.2. *The analysis of CR cutoff rigidity asymmetry on the basis of directional data in Capetown and Yakutsk, and NM world-wide network*
  - 7.15.3. *The main results and discussion on CR cutoff rigidity asymmetry during magnetic storms*
  - 7.15.4. *The anomalous CR diurnal variation during the main phase of the magnetic storm of February 11, 1958*
  - 7.15.5. *On the nature of CR anisotropy asymmetry: local and non-local sources*
- 7.16. CR lunar-daily variation and tidal effects in the Earth's magnetosphere
  - 7.16.1. *The discovery of lunar-daily CR variation and discussion on its possible origin*
  - 7.16.2. *Amplitude modulation of CR solar-daily wave by the 27-day effect and formation of spurious CR lunar-daily variation*
  - 7.16.3. *Formation of spurious CR lunar-daily variation by the phase modulation of CR solar-daily wave with period 27-days*
  - 7.16.4. *Checking on the properties of 27-day modulation of CR solar-daily variation*
  - 7.16.5. *On the possible reality of the CR lunar-daily variation*
  - 7.16.6. *The dependence of the CR lunar-daily variation on the relative positions of the Sun, Moon and Earth*
  - 7.16.7. *Dependence of the CR lunar-daily variation on cutoff rigidity*

- 7.16.8. *Main conclusions and discussion on the CR lunar-daily variation in connection with possible tidal effects in the Earth's atmosphere and Magnetosphere*
- 7.17. The influence of the tail of the Earth's magnetosphere on the CR cutoff rigidities
- 7.17.1. *Main properties of the tail of the magnetosphere*
- 7.17.2. *Probable mechanism by which the Earth's magnetic tail influences on CR cutoff rigidities*
- 7.17.3. *Approximate position of the curves of constant threshold at high latitudes*
- 7.17.4. *The influence of the Earth's magnetic tail on the trajectories of protons with energy 1.2 MeV*
- 7.17.5. *Channeling of low-energy CR in the tail of the Earth's magnetosphere*
- 7.18. Discriminating of CR magnetospheric variations from observed CR data by spectrographic method
- 7.18.1. *The matter of the problem*
- 7.18.2. *Determining of cutoff rigidity change by spectrographic method on the basis of single CR observatory data*
- 7.18.3. *Determining of the cutoff rigidities changes by spectrographic method on the basis of two CR observatories data (the case 1 and 3 components)*
- 7.18.4. *Determining of the cutoff rigidities changes in the case of 2 and 2 components in two CR observatories*
- 7.18.5. *Determining of planetary cutoff rigidity changes distribution on the basis of many CR observatories data by spectrographic method*
- 7.18.6. *An example of using spectrographic method for determining CR geomagnetic variations; application to ring current (events in May and June, 1972)*
- 7.19. Rigidity variations of European mid-latitude stations during the September 1974 Forbush decrease
- 7.19.1. *The matter of problem*
- 7.19.2. *Used data and main characteristics of event*
- 7.19.3. *Results of data analysis*
- 7.19.4. *Main results and discussion*
- 7.20. The extraterrestrial and geomagnetic variations in CR during the Forbush-decreases of March 26, 1976
- 7.20.1. *Observation data*
- 7.20.2. *Comparison between the  $\Delta R_C(t)$  and  $D_{st}$ -variations*
- 7.20.3. *Variations of  $\Delta R_C$  on different CR stations and dependence of  $\Delta R_C$  from  $R_{CO}$*
- 7.20.4. *Estimation of ring current's properties*
- 7.21. Estimates of the parameters of the magnetospheric ring current during magnetic storms on the basis of CR data
- 7.21.1. *The matter of problem and observational data*
- 7.21.2. *Analysis of data in the frame of two used models of ring current*
- 7.21.3. *Main results and discussion*
- 7.22. Interrelation between variations of the CR cutoff rigidity and the geomagnetic  $D_{st}$ -variation during magnetic storms
- 7.22.1. *The matter of problem*
- 7.22.2. *Observational data and variations of  $R_C$  during three events*
- 7.22.3. *Discussion and main results*
- 7.23. The CR decreases at high latitudes and increases at middle latitudes during magnetic storms
- 7.23.1. *The cases when during magnetic storms at high latitudes observed CR decreases but at middle latitudes – CR increases*
- 7.23.2. *Main equations for extended spectrographic method*
- 7.23.3. *CR and magnetic parameters for eight selected magnetic storms*
- 7.23.4. *Estimation of the current ring radius*
- 7.24. The using of the simplest version of the global spectrographic method (BDY-method) for discriminating of CR magnetospheric variations
- 7.24.1. *The matter of problem and the simplest version of the global spectrographic method*
- 7.24.2. *Magnetospheric effects in CR during Forbush-decreases in August 1972*

- 7.24.3. *The longitude and latitude dependences of the geomagnetic cutoff rigidity variations during strong magnetic storms in May 15-30, 1967, December 17-18, 1971, and in August 4-9, 1972*
- 7.24.4. *Changes of CR cutoff rigidities during great magnetic storms in May 1967, August 1972, and November 1991*
- 7.24.5. *On the correction of CR data on geomagnetic variations*
- 7.25. **Magnetospheric currents and variations of cutoff rigidities in October 20, 1989**
  - 7.25.1. *The matter of problem*
  - 7.25.2. *Procedure of CR cutoff rigidity calculations*
  - 7.25.3. *Applying to NM data of Moscow, Kiev, and Rome*
  - 7.25.4. *Estimation of magnetospheric currents*
  - 7.25.5. *Recalculations of cutoff rigidity changes*
  - 7.25.6. *Checking by balloon and satellite measurements*
  - 7.25.7. *Summary and discussion*
- 7.26. **The Earth's magnetic field with a warped tail current sheet (Tsyganenko-89 model)**
  - 7.26.1. *The matter of problem*
  - 7.26.2. *Axially symmetric current sheet model and its modification*
  - 7.26.3. *Application to the Earth's magnetosphere: the ring current and the tail current system*
  - 7.26.4. *Contribution from the magnetospheric boundary sources*
  - 7.26.5. *Analysis of the model parameters in dependence from  $K_p$*
  - 7.26.6. *Model of magnetic field distribution and field line configurations*
  - 7.26.7. *Local time dependence of the average inclination angles*
  - 7.26.8. *Distribution of electric current density*
  - 7.26.9. *The model field line configurations for several  $K_p$  intervals*
  - 7.26.10. *Summary of main results and model developing*
- 7.27. **Magnetospheric transmissivity of CR accounting variability of the geomagnetic field with changing  $K_p$  and with local time (in the frame of Tsyganenko-89 model)**
  - 7.27.1. *The matter of problem*
  - 7.27.2. *The calculation method*
  - 7.27.3. *Calculations of transmissivity functions*
  - 7.27.4. *Asymptotic directions for a high-latitude station*
  - 7.27.5. *The effect of external field at middle latitudes*
  - 7.27.6. *Main results and discussion*
- 7.28. **Geomagnetic cutoff variations observed by Tibet NM during maximum of solar activity: checking in the frame of Tsyganenko-89 model**
  - 7.28.1. *Tibet NM and observation data for magnetic storm events*
  - 7.28.2. *Analysis of data and comparison with Tsyganenko-89 model*
- 7.29. **Magnetospheric effects in CR during the magnetic storm on November 2003**
  - 7.29.1. *The matter of problem*
  - 7.29.2. *Solar and interplanetary activity in November 2003*
  - 7.29.3. *Data and method of analysis*
  - 7.29.4. *Uncorrected and corrected for the magnetospheric effect CR variations*
  - 7.29.5. *Cutoff rigidity variations during magnetic storm*
  - 7.29.6. *Correlation of the obtained  $\Delta R_{ci}$  with  $D_{st}$  index*
  - 7.29.7. *Latitudinal dependences of cutoff rigidity variations*
  - 7.29.8. *Comparison of cutoff rigidity variations determined by CR data and derived from magnetosphere's models by trajectory calculations*
  - 7.29.9. *On the consistency of the 'storm' models with the current distribution derived from spacecraft data*
  - 7.29.10. *On the specific feature of November 2003 event and on radius of ring current*
  - 7.29.11. *On the possible errors in obtained results*
  - 7.29.12. *On the sensitivity of NM to CR magnetospheric variation*
  - 7.29.13. *Summary of main results*

7.30. On the checking of the magnetosphere's models by galactic CR: great magnetic storm in November 2003

7.30.1. *The matter of problem*

7.30.2. *Comparison  $\Delta R_{\text{sgs}}$  derived from CR data and  $\Delta R_{\text{ef}}$  obtained by trajectory tracing in the frame of Ts03 Tsyganenko model*

7.30.3. *Comparison of absolute and relative maximum decreases of CR cutoff rigidities*

7.30.4. *The behavior of the difference  $\delta R_c = \Delta R_{\text{sgs}} - \Delta R_{\text{ef}}$*

7.30.5. *On the correlations of  $\Delta R_{\text{sgs}}$  and  $\Delta R_{\text{ef}}$  with parameters  $D_{\text{st}}$ ,  $B_z$ ,  $B_y$ ,  $N_{\text{SW}}$ ,  $V_{\text{SW}}$*

7.30.6. *On the relations between  $\Delta R_{\text{sgs}}$  and  $\Delta R_{\text{ef}}$  for different CR stations*

7.30.7. *Main results and conclusion*

7.31. On the checking of magnetosphere's model by solar CR: GLE on January 20, 2005

7.31.1. *The matter of problem*

7.31.2. *CR data of NM on Mt. Jungfrauoch in comparison with other NM data*

7.31.3. *Determining of CR cutoff rigidities variations during GLE in the frame of Tsyganenko models of disturbed magnetosphere; correction of CR data on geomagnetic variations*

7.31.4. *The determining of solar CR angle distribution and energy spectrum time variations, and the checking of self-consistent CR data with Tsyganenko magnetosphere's model*

## **Chapter 8. Cosmic Rays in Atmospheres and Magnetospheres of Other Planets, Generation of Local CR and Formation of Radiation Belts and Aurora**

8.1. Galactic CR in atmospheres of other planets, secondary components, integral multiplicities and coupling functions

8.1.1. *The properties of the planetary atmospheres*

8.1.2. *The CR secondary components, the integral generation multiplicities, and the coupling coefficients in the Martian atmosphere*

8.1.3. *The CR secondary components, the integral generation multiplicities, and the coupling coefficients in the atmospheres of Jupiter and Venus*

8.2. Three types of solar wind interactions with planets of Solar system

8.3. Solar wind interaction with unmagnetized planets

8.3.1. *The matter of problem, and short historical review*

8.3.2. *Description of the model*

8.3.3. *Fundamental structure*

8.3.4. *Asymmetries in the direction of the electric field*

8.3.5. *Multiple-shock structure*

8.3.6. *Summary of main results*

8.4. Energetic particles in the vicinities of Mercury

8.4.1. *Main characteristics of Mercury*

8.4.2. *Mercurian atmosphere*

8.4.3. *Mercurian magnetic field*

8.4.4. *Mercurian magnetosphere*

8.4.5. *Observations of energetic particles accelerated in the Mercurian magnetosphere*

8.4.6. *Possible mechanisms of particle acceleration in the Mercurian magnetosphere*

8.5. Study of the possibility of particle acceleration in the vicinities of Venus

8.5.1. *Main properties of Venus*

8.5.2. *Magnetic field, magnetosphere, and ionosphere of Venus*

8.5.3. *The search of energetic particles accelerated near Venus*

8.5.4. *Magnetic ropes in the ionosphere of Venus*

8.6. Energetic particles near the Moon

8.6.1. *Main properties of the Moon*

8.6.2. *Geological history, measurements, and possible nature of the Moon's magnetic field in the past*

8.6.3. *Atmosphere and plasma shell of the Moon*

8.6.4. *Search for energetic particles near the Moon*

8.7. Mini-magnetospheres at the Moon and energetic particle acceleration

8.7.1. *Lunar Prospector observations and the matter of problem*

- 8.7.2. *Model parameters for 2.5D particle simulations*
- 8.7.3. *2.5D particle simulation results*
- 8.7.4. *Model parameters for 2.5D MPD simulations*
- 8.7.5. *Results of 2.5D MPD simulations*
- 8.7.6. *Comparison between particle and MPD 2.5D simulations*
- 8.7.7. *Main obtained results and expected development*
- 8.8. Main properties of Mars, Martian atmosphere and interaction with solar wind, particle acceleration near Mars**
  - 8.8.1. *Main properties of Mars and its satellites*
  - 8.8.2. *Martian atmosphere, generation energetic ions, and their influence on the atmosphere*
  - 8.8.3. *The escape of planetary ions in the Martian tail*
  - 8.8.4. *Energetic planetary ions in the Martian plasma environment*
  - 8.8.5. *Generation of energetic neutral atoms (ENA) as result of solar wind interaction with the atmosphere of Mars*
- 8.9. The Martian magnetic fields, magnetosphere, and generation of energetic particles**
  - 8.9.1. *The first measurements of the Martian magnetic field*
  - 8.9.2. *Convection and ion fluxes in the Martian magnetosphere*
  - 8.9.3. *Crustal magnetization, effective large-scale magnetic field, and topside ionosphere at Mars*
  - 8.9.4. *Charge exchange and formation of the Martian magnetic pileup boundary*
- 8.10. Jupiter: main properties of planet and magnetosphere; interaction with solar wind**
  - 8.10.1. *Main properties of Jupiter*
  - 8.10.2. *Atmosphere, ionosphere, and aurora on Jupiter*
  - 8.10.3. *Main magnetic field of Jupiter*
  - 8.10.4. *Jovian magnetosphere*
  - 8.10.5. *On the influence of solar wind on the Jovian magnetosphere*
  - 8.10.6. *Jovian magnetosphere interacting with solar wind: global MHD simulation*
  - 8.10.7. *Influence of solar wind on Jupiter's magnetosphere deduced from currents in the equatorial plane*
  - 8.10.8. *Properties of magnetospheric plasma: the first direct observations on Pioneer 10 and 11*
  - 8.10.9. *Jovian 'energetic magnetospheric events'*
  - 8.10.10. *Kinetic aspects of the Jovian current sheet*
  - 8.10.11. *Energetic ion dynamics in Jupiter's plasma sheet*
  - 8.10.12. *Storm-like dynamics of Jupiter's inner and middle magnetosphere*
- 8.11. Accelerated particles in the Jovian magnetosphere**
  - 8.11.1. *Accelerated electrons in the Jovian magnetosphere*
  - 8.11.2. *Energetic nuclei, protons, and electrons in the Jovian magnetosphere*
  - 8.11.3. *Comparative measurements of accelerated particle fluxes inside and outside the Jovian magnetosphere*
  - 8.11.4. *Formation of spatial structure of particles in the Jovian magnetosphere*
  - 8.11.5. *Effect of the planetary satellites on particle acceleration in the Jovian magnetosphere*
- 8.12. Secondary effects of accelerated particles in the Jovian magnetosphere**
  - 8.12.1. *Ground-based observations of the electromagnetic radiation from Jupiter; temporal variations of radio emission fluxes*
  - 8.12.2. *Radio bursts from energetic electrons in the Jovian magnetosphere*
  - 8.12.3. *Mechanism of electromagnetic radiation generation by energetic particles in the Jovian magnetosphere*
  - 8.12.4. *Effect of synchrotron loss of energetic electrons on their radial diffusion and lifetime*
  - 8.12.5. *Excitation of whistlers by energetic electrons*
  - 8.12.6. *The role of precipitation of accelerated particles in the energy balance of the Jovian thermosphere*
- 8.13. Jovian aurora and precipitation of energetic particles**
  - 8.13.1. *X ray and EUV aurora emission spectra of oxygen ions precipitating into the Jovian atmosphere*
  - 8.13.2. *Jovian X-ray aurora and energetic oxygen ion precipitation*
  - 8.13.3. *Origin of Jupiter's main oval auroral emissions*
  - 8.13.4. *FUV Jovian polar aurora*
- 8.14. Generation in Jovian magnetosphere non-thermal electromagnetic radiation**

- 8.14.1. *Stereoscopic observations of Jovian non-thermal radio emissions*
- 8.14.2. *Mechanism for continuum radiation in Jupiter's magnetosphere*
- 8.14.3. *Phase-bunching model for Jovian S burst drift rates and S burst/L burst interactions*
- 8.14.4. *Jupiter's decametric radio source parameters*
- 8.14.5. *Rotationally driven radio emissions in the Jovian magnetosphere, QP bursts, JAC, and quasi-periodic particle acceleration*
- 8.14.6. *Microstructure of Jovian decametric S bursts*
- 8.15. Jupiter as a source of energetic particles in interplanetary space**
  - 8.15.1. *The first observations of Jupiter accelerated particles in interplanetary space with the Pioneer-10 and 11 detectors*
  - 8.15.2. *Observations of Jovian energetic electrons in the Earth's vicinities*
  - 8.15.3. *Ejection from the Jovian magnetosphere and propagation in the interplanetary space of Jupiter's relativistic electrons*
  - 8.15.4. *Jupiter as point source of CR in interplanetary space*
- 8.16. Mechanisms of particle acceleration in Jovian vicinities and exit from the magnetosphere**
  - 8.16.1. *Mechanisms of particle acceleration in the Jovian magnetosphere*
  - 8.16.2. *Particle acceleration on the Jovian satellites*
  - 8.16.3. *Mechanisms of accelerated particle ejection from the Jovian magnetosphere*
- 8.17. Acceleration processes in the Jovian magnetosphere and Jovian upstream events**
  - 8.17.1. *The matter of problem; comparison of upstream events observed in the Earth's, Jupiter's, and some other planets magnetospheres*
  - 8.17.2. *Ulysses Heliosphere Instrument for Spectra Composition and Anisotropy at Low Energy (HISCALE) and magnetometer experiments for investigations of upstream events*
  - 8.17.3. *The first observed by HISCALE Jovian upstream event*
  - 8.17.4. *The last observed by HISCALE Jovian upstream event*
  - 8.17.5. *Ulysses trajectory near Jupiter and distribution of Jovian upstream events*
  - 8.17.6. *The dependence of Jovian upstream events in low-energy ion range from the distance to Jupiter*
  - 8.17.7. *Upstream events and Jovian 'outflux'*
  - 8.17.8. *Averaged energy spectra of ions in Jovian upstream events*
  - 8.17.9. *Jovian upstream events in higher-energy ions range*
  - 8.17.10. *Energetic electrons in Jovian upstream events*
  - 8.17.11. *Energy-dependent onset in upstream event at February 2, 1992 prior to the bow shock crossing*
  - 8.17.12. *Very large upstream event at February 18, 1992 approximately 48 hours after the final Jovian bow shock crossing*
  - 8.17.13. *Main results on the Jovian upstream events investigation*
- 8.18. Acceleration processes connected with Jovian satellite Io**
  - 8.18.1. *Io-controlled decameter arcs and Io-Jupiter interaction*
  - 8.18.2. *The Io mass-loading disk*
  - 8.18.3. *Morphology and time variability of Io's visible aurora*
  - 8.18.4. *Investigation of Io's ionospheric plasmas by the Galileo spacecraft*
  - 8.18.5. *Intense beams of energetic electrons observed at Io*
  - 8.18.6. *Ion cyclotron waves, pickup ions, and Io's neutral exosphere*
  - 8.18.7. *The Io Alfvén wing (the Io current flux tube)*
  - 8.18.8. *Three-dimensional plasma simulation of Io's interaction with the Io plasma torus*
  - 8.18.9. *Electron densities near Io from Galileo plasma wave observations*
  - 8.18.10. *Jovian auroral signature of Io's corotational wake*
- 8.19. Acceleration processes connected with Jovian satellite Europa**
  - 8.19.1. *Main properties of Europa derived from Galileo and other spacecrafts observations and from simulations*
  - 8.19.2. *Galileo plasma observations at Europa: Ion energy spectra and moments*
  - 8.19.3. *Wave activity in Europe's wake: Implications for ion pickup*
  - 8.19.4. *Energetic charged particles near Europa*
- 8.20. Acceleration processes connected with Jovian satellite Ganymede**
  - 8.20.1. *Main properties of Ganymede, magnetic field, and magnetosphere*
  - 8.20.2. *Energetic particle observations near Ganymede*
  - 8.20.3. *Electrons precipitation and Ganymede's polar auroral emissions*
  - 8.20.4. *Sputtering from Ganymede's surface*

- 8.20.5. *Pitch angle distributions of trapped energetic electrons in the magnetosphere of Ganymede*
- 8.20.6. *Energetic spectra of trapped electrons in the magnetosphere of Ganymede*
- 8.20.7. *Electron drift paths in the magnetosphere of Ganymede*
- 8.21. Preliminary, pioneer results on acceleration processes on the outer planets Saturn, Uranus, Neptune, and Pluto
  - 8.21.1. *Magnetic fields and magnetospheres of the outer planets*
  - 8.21.2. *Evidence for acceleration processes in the magnetospheres of the outer planets*
- 8.22. Saturn and its satellites: main properties, atmospheres and magnetospheres, interaction with solar wind and generation of energetic particles
  - 8.22.1. *Main properties of Saturn and its satellites*
  - 8.22.2. *Some peculiarities of the atmosphere of Saturn*
  - 8.22.3. *The Titan's atmosphere: main results from electromagnetic radiation measurements*
  - 8.22.4. *The Titan's thermosphere, application of the General Circulation Model (GCM), comparison with other planets, and connection with magnetic storms*
  - 8.22.5. *Intrinsic magnetic field and magnetosphere of Saturn in comparison with other planets*
  - 8.22.6. *Trap plasma and energetic charged particles of internal and solar wind origins on their closed magnetic field lines in Saturn's magnetosphere; comparison with other planets*
  - 8.22.7. *MHD turbulence in Saturn's magnetosheath downstream of a quasi-parallel bow shock*
  - 8.22.8. *Saturn's bow shock: initial results from the Cassini spacecraft*
- 8.23. Acceleration processes in the Saturn's magnetosphere: energetic particles, aurora, and electromagnetic radiation
  - 8.23.1. *Saturn's auroral cusp: Hubble Space Telescope FUV observations*
  - 8.23.2. *Variable radio-emission from Saturn's aurora and Saturn's rotation*
  - 8.23.3. *Narrowband Z-mode emissions interior to Saturn's plasma torus*
- 8.24. Saturn and Titan interactions: atmospheric, ionospheric, magnetospheric
  - 8.24.1. *Titan's magnetic wake: atmospheric or/and magnetospheric interaction*
  - 8.24.2. *The interaction between Titan and the Saturnian magnetosphere: asymmetric mass loading effect at Titan's ionosphere*
  - 8.24.3. *The interaction between the magnetosphere of Saturn and Titan's ionosphere*

## **Conclusion and Problems**

## **References**

- References for Monographs and Books
- References for Chapter 1
- References for Chapter 2
- References for Chapter 3
- References for Chapter 4
- References for Chapter 5
- References for Chapter 6
- References for Chapter 7
- References for Chapter 8

## **Object Index**

## **Author Index**