

Incentive-Compatible Advertising on Non-Retail Platforms*

Kfir Eliaz and Ran Spiegler[†]

December 3, 2017

Abstract

Non-retail platforms (e.g., online radio stations, social media) enable users to engage in various non-commercial activities, while at the same time generating information about users that helps advertisers improve their targeting. We study novel incentive issues that arise when the platform tries to maximize its advertising revenues. In our model, the platform’s policy consists of a personalized, stationary ad-display rule and an advertising fee (which the platform charges from firms as a function of the consumer type they request to target). We provide conditions for the existence of an incentive-compatible policy that maximizes and fully extracts firms’ surplus. This objective is easier to attain when the platform obtains more precise information about users’ preferences, consumers are more attentive to advertising and their propensity for repeat purchases is higher. We apply our result to various examples of non-retail platforms, including content platforms and social networks. Our analysis of the latter turns out to be related to the “community detection” problem in Network Science.

*This is a substantial revision of a paper formerly circulated (and promoted on YouTube by a movie trailer) under the title “Incentive-Compatible Advertising on a Social Network”. Financial support from ISF grant no. 1153/13 is gratefully acknowledged. We thank Yair Antler, Francis Bloch, Olivier Compte, Andrea Galeotti, Nikita Roketskyi, Omer Tamuz, Neil Thakral and numerous seminar audiences for helpful comments.

[†]Eliaz: School of Economics, Tel-Aviv University and Economics Dept., Aarhus University, kfire@post.tau.ac.il. Spiegler: School of Economics, Tel-Aviv University and Economics Dept., University College London, rani@post.tau.ac.il.

1 Introduction

Recent years have seen a proliferation of online institutions that can be described as “non-retail platforms”. Users of these platforms access them on a regular basis, in order to engage in activities such as reading texts, listening to music, exchanging messages, cultivating social links, etc. In particular, when they access the platform, it is *not* for the purpose of buying from advertisers. If a user buys from a firm as a result of being exposed to an ad posted on the platform, the transaction takes place off it; it will have no effect on his activity on the platform, and it is quite likely that the platform does not even monitor whether the transaction has taken place. However, the transaction may temporarily depress the user’s demand for similar products, thus diminishing the effectiveness of advertising them.

Of course, non-retail platforms are at least as old as the village message board. What is special about the modern online version is that users’ activity on the platform leaves a massive trail of information that may be correlated with their consumption tastes in various areas. As a result, the platform can help advertisers achieve better targeting, which in turn helps the platform increase its advertising revenues. Here are a few examples of what we have in mind.

Online radio stations like Pandora collect information about users’ musical tastes (in this respect, they differ from traditional radio), and can use that to target ads for unrelated products. For instance, whether a user likes Country music may be correlated with his politics and lifestyle preferences. But of course, he does not access Pandora for the purpose of being informed about political candidates or buying vegan food.

E-mail services may use the content of personal e-mails to target users. If a user’s e-mails start featuring numerous references to babies, he may experience increased exposure to diaper ads on his e-mail account, although buying diapers is obviously not the user’s primary objective when checking his e-mail.

Messaging platforms such as Whatsapp or Snapchat may be unable or unwilling to use the content that users generate, for technical or legal reasons. However, the structure of the social network among users may provide information about their types. For instance, if users exhibit *homophily* - i.e., they associate with like-minded individuals - then a large cluster in the network indicates that its members are likely to have similar tastes.

Content sharing platforms such as Reddit are message boards that publish user-generated content, and may monitor the content that users produce or consume.

Of course, many platforms exhibit combinations of these features. For instance, social media platforms like Instagram or Twitter can make use of the network structure of their users as well as the content that they generate. While not all of these real-life examples of non-retail platforms currently make use of this form of targeted advertising, the potential to do so is inherent in them.

In this paper we study novel incentive issues that arise in advertising on non-retail platforms. The source of the potential incentive problem is that advertisers have some private information regarding the specific preference types in the consumer population they would like to target. Therefore, the platform relies on their targeting requests to allocate display ads to individual users, utilizing its own private information about users. Since advertising fees could vary with the targeted audience, the advertiser's targeting request is a strategic decision, which involves trading off the likelihood of a transaction against the fee. Furthermore, because users' ad-generated (offline) purchases affect their willingness to make a subsequent purchase without having any visible effect on their platform activity, it may be desirable for the platform to *diversify* the type of ads it shows to an individual user. Even if a Country-music fan is relatively unlikely to be interested in vegan food, exposing him to such ads every once in a while may increase the long-run expected number of transactions generated by such a user. This diversification motive turns out to create an incentive for advertisers to misrepresent their ideal targeting. Our aim is to understand the conditions in which this incentive problem prevents the platform from attaining its first-best.

In our model, there is a group of n consumers who are constantly present on some non-retail platform. Each consumer comes in one of two (private) preference types. A type can describe whether the consumer is interested in "healthy food", whether he likes "highbrow" movies, whether he enjoys outdoor recreational activities, etc. The platform obtains a noisy aggregate signal about the profile of consumers' types, and updates its belief regarding their types. It then enables advertisers (a.k.a firms) to post personalized display ads. Each firm is characterized by the quality of its match with each consumer type - defined as the probability of transaction conditional on the consumer's exposure to the firm's ad. This is the firm's private information (in the main version of our model, firms receive no additional information about the types of individual consumers). Ex-ante, each firm communicates to the platform the type of consumers it wants to target. Thus, ads are classified into "types" according to the targeting request that accompanies them. Advertiser-platform communication of this kind exists in reality. For instance, Pandora offers ad targeting based (among other things) on users' music preferences or listening habits.

We assume that consumers' exposure to ads is governed by a personalized, stationary display rule that the platform designs. Specifically, the platform tailors a mixture of ad types to each consumer - based on its updated belief regarding his type - such that the ad he is exposed to at any period is drawn independently according to this mixture. Ads are like "billboards" and transactions occur offline, unmonitored by the platform. As soon as the consumer transacts with an advertiser, he switches to a "satiation" mental state in which he is inattentive to ads, and he switches back to the attentive state of mind with some constant per-period probability that captures the propensity for repeat purchases. Thus, thanks to the simplifying assumption of stationary display rules, we can depict the consumer's experience at the platform as a personal two-state Markov process, where certain transition probabilities are determined by the platform's personalized display rule.

The platform's objective is to maximize total advertisers' surplus - defined as their long-run number of transactions per period, and calculated according to consumers' personal Markov processes - and to extract it by means of advertising fees. Because the platform is uncertain about consumers' types and their mental state at any given period, its optimal display rule may be *interior* - i.e., it may expose individual consumers to *both* ad types. As mentioned above, this turns out to imply a motive for advertisers to *strategize* their targeting request.

Our first observation is that optimal display rules approximately minimize the amount of time that it takes a non-satiated consumer to transact. As a result, the optimal probability that a firm is displayed to a particular consumer is approximately proportional to the *square root* of the platform's posterior probability (given the realized signal) that the firm's product fits the consumer's type. In contrast, the advertising fee that fully extracts a firm's surplus is proportional to the *prior probability* that consumers like its product. This discrepancy ends up discriminating against products with mass appeal, and it gives firms an incentive to target the minority consumer group: reduced ad exposure is more than compensated for by the reduced fee. Indeed, real-life intermediaries help advertisers cope with such trade-offs by searching for the target audience that gives the "best bang for the buck". This may involve diverting the client's ad to a less-than-ideal audience because it may be significantly cheaper.¹

Under what conditions on the environment's primitives can the platform design an

¹AdEspresso.com is a company that offers to help small businesses launch advertising campaigns on social media. On their website they write, "The audience you choose will directly affect how much you're paying...if your perfect audience is just more expensive, that's just the way it goes." The company Brandnetworks (bn.co) offers algorithmic ad management that maximizes the cost and performance of ads in real-time.

incentive-compatible policy (i.e., a display rule and advertising-fee schedule) that maximizes and fully extracts advertisers’ surplus? Our interest in this question is two-fold. First, it serves as a useful theoretical benchmark for the platform’s design problem. Second, and perhaps more interestingly, it can be interpreted in the spirit of “welfare theorems” in the competitive-equilibrium literature. We can think of the platform’s policy as a market institution for allocating advertisers to consumers’ limited attention, which is the scarce resource in this environment. The full-surplus-extraction requirement is essentially a zero-profit condition that captures competitive behavior among advertisers. Our question then becomes: *Can an efficient allocation of advertisers to platform users be supported by a competitive market?* We do not study “second-best” policies when the first-best is not implementable: this is a challenging problem that requires different analytical techniques and belongs to a different paper.

Our basic result is a necessary and sufficient condition for the implementability of the platform’s objective (assuming that exogenous parameters are such that the optimal display rule is always interior - otherwise, our condition is merely sufficient). The condition is a simple inequality that incorporates two quantities: (i) on the L.H.S, a measure of the informativeness of the platform’s signal; specifically, the *Bhattacharyya Coefficient* of similarity between the distributions over signals conditional on the two possible type realizations of a single consumer; and (ii) on the R.H.S, an expression that is monotone in the ratio between the ex-ante probabilities of the two consumer types.

The chief merit of this characterization is that it isolates the platform-specific details and summarizes them by the L.H.S’s Bhattacharyya Coefficient, which characterizes the amount of information that consumers generate at the platform. The inequality’s R.H.S summarizes the consumers’ features that are independent of the platform. Therefore, examining various types of platforms is reduced to studying their induced Bhattacharyya Coefficients. Another virtue of the inequality is that it makes comparative statics more transparent. The inequality is *easier to satisfy* when the signal becomes *more informative*, when consumers are *less attentive* to ads, when the gap between high- and low-quality match probabilities is *smaller*, and when repeat purchases are *more* frequent. However, it is important to emphasize that the two sides of the inequality are generally interdependent: in many applications of interest, the signal’s informativeness varies with the consumer-type distribution. This interdependence can sometimes have surprising implications.

We apply our basic result to two specifications that capture different non-retail platforms. These applications are not meant to be faithful descriptions of specific real-

life platforms. Rather, they isolate key aspects of modern non-retail platforms in a stylized, abstract manner, in order to study the incentive issues they create.

First, we consider a simple example of a content platform, in which users are consumers of content. The key assumption is that content consumption depends on users' types as well as the available content. In particular, users may consume content which does not fit their type if that is the only available kind of content on the platform. We show that the platform's first-best is implementable if the type distribution is not too asymmetric and if the content supply is sufficiently large. The reason is that such environments are more likely to generate varied content supply, which in turn means that users' observed content consumption is informative of their types.

The second and more elaborate application examines a social network, where the only information that is available to the platform is the network structure, and the probability of a link between two users is an independent probability of their types. We show that unlike the content-platform example, the first-best is not implementable if the consumer type distribution is either too asymmetric or too uniform. We then ask whether a larger network makes it easier for the platform to implement its objective. Following the Network Science literature on *community detection*, we assume that users' propensity to form links decreases with network size, such that the expected degree of an individual node grows only *logarithmically* in n . Applying a recent result on the community-detection problem (Abbe and Sandon (2015)), we obtain a sufficient condition for the implementability of the platform's objective for large n in terms of parameters of the network-generating process. Thus, our analysis uncovers a connection between the community-detection problem in Network Science and the economic question of incentivizing targeted advertising on social networks.

Related literature

This paper belongs to a research agenda that explores novel incentive issues in modern platforms. Our earlier exercise in this vein, Eliaz and Spiegler (2015), studied an environment in which consumers submit noisy queries to a "search platform", which responds by providing consumers with a "search pool" - i.e., a collection of products that they can browse via some search process. The platform's problem is to design a decentralized mechanism for efficiently allocating firms into search pools and extracting their surplus. Thus, unlike non-retail platforms, the search platform's *sole* function is to match users with advertisers. Eliaz and Spiegler (2015) introduced the Bhattacharyya Coefficient as a useful tool for representing IC constraints. The present paper further demonstrates the power of this tool in a different context, and with new technical challenges that arise from the applications (e.g., the community detection problem in

social networks).

There has been a growing interest in targeted advertising in the I.O. literature. One strand of this literature analyzes competition between advertising firms that choose advertising intensity, taking into account the cost of advertising and the probability that their advertising messages will reach the targeted consumers. Notable papers in this literature include Iyer et al. (2005), Athey and Gans (2010), Bergemann and Bonatti (2011), Zubcsek and Sarvary (2011) and Johnson (2013). A second strand of this literature studies how to optimally propagate information about a new product by targeting specific individuals in a social network. Recent papers in this strand include Galeotti and Goyal (2012) and Campbell (2015) (see Bloch (2015) for a survey).

Bergemann and Bonatti (2015) study a different aspect of using information about consumers for advertising purposes. In their model, a single data provider offers firms information about the potential value of matches with various consumers, where the information is obtained from consumers' online activities.

2 A Model

Let $N = \{1, \dots, n\}$ be a set of consumers and let $T = \{x, y\}$ be a set of possible types of each consumer. We consider a stationary environment in which a consumer of type $t \in T$ is in one of two states: a “demand state” D_t in which the consumer buys a product with positive probability when he is exposed to an ad for it (we describe below the ad-display and purchase processes) and a “satiation state” S_t in which the consumer is not interested in consumption. The consumer's transition between states obeys the following mechanical rule. He switches from his demand state to his satiation state as soon as he buys a product. When the consumer is in his satiation state, he switches back to his demand state with independent per-period probability ε . This parameter captures consumers' propensity for repeat purchases. Note that our model completely abstracts from product prices.

The set of products offered by advertisers can be partitioned into two types, also labeled x and y . The probability that a consumer buys a product conditional on being exposed to its ad while in his demand state is θ_H when the product's type coincides with his own type, and θ_L when it does not, where $\theta_L < \theta_H$. The parameters θ_L, θ_H also reflect consumers' general attention to ads: raising both by a common factor captures greater attentiveness. We say that an advertiser is of type t if it offers a type t product. There are m advertisers of each of the types (our analysis will focus on the case of large m). Each advertiser can costlessly supply any amount of its product. If a consumer

acquires a product from an advertiser, the advertiser earns a fixed payoff of 1.²

Consumers have constant, uninterrupted access to a non-retail platform, which receives a signal from a set W_i about each consumer i , where $W_1 = \dots = W_n$. Denote $W = W_1 \times \dots \times W_n$. We sometimes refer to the profile of signals $w \in W$ as an aggregate signal. Signals about individual consumers may be correlated. The platform does not receive any information about the types of individual advertisers. Advertisers receive no information about consumer types - we relax this assumption in Section 6.

Let $\mu \in \Delta(T_1 \times \dots \times T_n \times W)$ be a joint distribution over the profile of consumer types and the platform's aggregate signal. We use $\mu_i(t_i, w)$ to denote the probability that a given consumer i is of type t_i and the aggregate signal realization is w . Let $\mu_i(x) = \sum_{w \in W} \mu_i(x, w)$ be the ex-ante probability that $t_i = x$, and let $\mu(w) = \sum_x \mu_i(x, w)$ be the ex-ante probability that the aggregate signal realization is w . Given some realization w , the conditional probability that $t_i = x$ is denoted $\mu_i(x|w)$. Likewise, $\mu(w|t_i)$ describes the distribution over aggregate signals conditional on consumer i 's type. We assume that μ is *label-neutral*. That is, for every permutation $f : N \rightarrow N$, $\mu((t_i, w_i)_{i \in N}) \equiv \mu((t_{f(i)}, w_{f(i)})_{i \in N})$. In particular, $\mu_i(x) = \mu(x) = \pi$ for all $i \in N$. Assume $\pi \geq \frac{1}{2}$, without loss of generality.

Example 1: Targeting based on e-mail content

Consider two users of an e-mail service. A user of type x is expecting a baby or has a newborn, whereas a user of type y does not. This may affect their preferences over a wide range of products. For example, type x is likely to be more interested in home entertainment and diapers, whereas type y is likely to be more interested in concerts or alcohol. The platform that operates the e-mail service monitors users' *sent mail* folder. Let $w_i = x$ indicate that the users' sent e-mails contain references to babies, and $w_i = y$ indicates that they do not. However, the two users are friends who exchange messages with each other, and the platform's algorithm cannot tell whether a user refers to his own baby or his friend's. Moreover, assume that a user of type x always sends e-mails that mention his baby, while a user of type y mentions babies with positive probability $\xi \in (0, 1)$ *only* when his friend has one. Thus, $\mu((w_1, w_2) \mid (t_1, t_2))$ is given by the

²It is easy to adapt our analysis to the case of profit margins that vary across product types: increasing the profit margin of product x is equivalent to increasing π . We assume symmetry across product types purely for notational simplicity.

following table:

$(t_1, t_2) \setminus (w_1, w_2)$	x, x	x, y	y, x	y, y
x, x	1	0	0	0
x, y	ξ	$1 - \xi$	0	0
y, x	ξ	0	$1 - \xi$	0
y, y	0	0	0	1

We will make use of this example to illustrate the results in the next section. \square

How does the platform match advertisers and consumers? At every time period and for each consumer i , the platform selects an advertiser according to a stationary random process we will describe momentarily and displays it to the consumer in the form of an advertising banner. Each ad expires at the end of the period and a new one is displayed in the next period. We think of ads as “billboards”: transactions between consumers and advertisers take place “offline” and the platform cannot monitor them. In particular, there is no notion of “clicking” on display ads.

The display of ads is governed by a personalized, stationary rule that the platform commits to ex-ante. Formally, $q_i(t|w)$ is the probability that at any time period, the platform displays an advertiser of type $t \in \{x, y\}$ to consumer i , conditional on the aggregate signal realization w . Conditional on displaying an advertiser of type t , each of these advertisers is drawn with equal probability. Hence, the probability that a particular advertiser of this type is displayed is $q_i(t|w)/m$. We refer to $q(w) = (q_i(x|w))_{i \in N}$ as the platform’s *display rule* for w . Let F_t be the per-period fee the platform charges from advertisers of type t . Denote $q = (q(w))_{w \in W}$, $F = (F_x, F_y)$. The pair (q, F) constitutes the platform’s *policy*.

Given that the consumer cycles between his two mental states indefinitely, the assumption of stationary display rules means that the consumer’s behavior over time obeys a two-state Markov process. Formally, given a signal w and a display rule $q(w)$, the transition probabilities between the mental states of consumer i of type t are given by the following matrix:

$$\begin{array}{cc}
 & \begin{array}{c} D_t \\ S_t \end{array} \\
 \begin{array}{c} D_t \\ S_t \end{array} & \begin{array}{cc}
 & \begin{array}{c} D_t \\ S_t \end{array} \\
 1 - \theta_H q_i(t|w) - \theta_L (1 - q_i(t|w)) & \theta_H q_i(t|w) + \theta_L (1 - q_i(t|w)) \\
 \varepsilon & 1 - \varepsilon
 \end{array}
 \end{array} \quad (1)$$

Hence, given w and $q(w)$, the joint invariant probability that consumer i is in state D_t is

$$\rho_i(t|w) \equiv \frac{\mu_i(t|w)\varepsilon}{q_i(t|w)(\theta_H - \theta_L) + \theta_L + \varepsilon} \quad (2)$$

As will be shown shortly, this formula leads to a simple expression for the long-run average number of transactions for each consumer.

2.1 Discussion

Consumer and advertiser types. We envision the consumer as a vector of unobservable personality attributes. For simplicity, we imagine that the possible realizations of this collection of attributes can be partitioned into two groups, x and y , such that every product that is offered in the market is more appealing to one of the two groups. Thus, we interpret advertisers of type x (y) as offering a *variety* of products, which all share the feature that they are more appealing to x (y) consumers.

The firms' private information. One could argue that the platform need not rely on advertisers' targeting requests - in principle, it could examine each advertiser's product and figure out the quality of its match with each consumer type. However, this type of monitoring has a cost that the platform can avoid by decentralizing the ad-classification task. Furthermore, in many cases advertisers have private information regarding the type of consumers who are attracted to their product, thanks to prior market research. For instance, certain food items (granola bars, artificially sweetened products) are not easy to classify a priori in terms of their appeal to "health-conscious" consumers. Likewise, the defining lines of "highbrow" movies or holiday packages that fit "outdoorsy" tourists are quite blurred. In these cases, market studies are likely to reveal information that the platform lacks. It is implausible for the platform to replicate such studies in the myriad industries it interacts with.

Per-period fee vs. price per-display. Our analysis will remain unchanged if we assume that instead of charging a per-period fee, the platform charges a *price-per-display*. Likewise, we could allow prices to be a function of w , without any effect on our analysis. This is because advertisers in our model are risk neutral and care only about the expected number of transactions and the expected payment. It is therefore convenient analytically to assume lump-sum transfers, even if this may appear unrealistic when taken literally.

The stationarity assumption. Stationary in our model has exogenous and endogenous aspects. The former arises from our assumption that ads are "billboards"; the platform cannot monitor whether consumers pay attention to ads and whether they transact with firms. Therefore, it cannot learn anything about consumers' types beyond the signal w . For a concrete example, think of listening to Pandora while jogging. Even so, stationary display rules (which is the endogenous aspect) carry a loss of generality.

If we relaxed this assumption and allowed the platform’s display rule to follow some Markov process with an arbitrary number of states K , the consumer’s behavior over time would obey a $2K$ -state Markov process, and therefore the long-run average number of transactions would be hard to characterize. The stationarity assumption is thus a simplifying approximation, which enables us to tractably capture the platform’s motive to diversify its ad types over time.

Suppose that ads are not billboards, such that the platform can partially monitor whether consumers notice them - e.g. through *clicks* (and let us retain the rather realistic assumption that the platform does not monitor transactions). If clicks are uncorrelated with consumers’ types, then exogenous stationarity continues to hold, and pricing displays is equivalent to pricing clicks. Therefore, we can think of our stationarity and pricing assumptions as reasonable approximations to situations in which clicks convey little information about consumer types.

3 Basic Results

In this section we characterize the policy that would maximize the platform’s advertising revenues if it could observe advertisers’ types, and then derive conditions for the incentive-compatibility of the optimal policy.

3.1 Optimal Policies

The platform’s objective is to find a policy (q, F) that maximizes expected profits. For this purpose, let us first derive the collection of display rules that maximizes advertisers’ surplus. The gross expected per-period payoff (without taking into account any payment to the platform) for an advertiser of type t is calculated as follows. For each consumer $i \in N$, we multiply the invariant probability that the consumer is in his demand state by the probability that he transacts conditional on being in this state. Then, we sum over all consumers. It follows that the expected number of transactions per period with advertisers of type x is

$$U_x(q) \equiv \sum_{i \in N} \sum_{w \in W} \mu(w) q_i(x|w) [\theta_H \rho_i(x|w) + \theta_L \rho_i(y|w)] \quad (3)$$

Similarly, the expected number of transactions per period with advertisers of type y is

$$U_y(q) \equiv \sum_{i \in N} \sum_{w \in W} \mu(w) q_i(y|w) [\theta_H \rho_i(y|w) + \theta_L \rho_i(x|w)] \quad (4)$$

Let $q^*(w)$ be the display rule that maximizes the sum

$$U_x(q) + U_y(q) \quad (5)$$

We refer to $q^*(w)$ as the optimal display rule for the aggregate signal realization w . The optimal fee that the platform charges advertisers of type t , denoted F_t^* , fully extracts the maximal surplus of these advertisers - i.e., $F_t^* = U_t(q^*(w))$.

Note that for a fixed μ , if consumers are sufficiently inattentive to ads in the sense that both θ_H and θ_L are sufficiently close to zero, the optimal display rule is generically a corner solution: $q_i^*(t|w) = 1$ if $\mu_i(t|w) > \frac{1}{2}$. When $q_i^*(w)$ is interior, first-order conditions imply

$$\frac{\rho_i(x|w)}{\rho_i(y|w)} = \sqrt{\frac{\mu_i(x|w)}{\mu_i(y|w)}} \quad (6)$$

Substituting the R.H.S. of (2) for $\rho_i(x|w)$ allows us to solve explicitly for $q_i^*(x|w)$:

$$q_i^*(x|w) = \frac{\lambda_H \sqrt{\mu_i(x|w)} - \lambda_L \sqrt{\mu_i(y|w)}}{\sqrt{\mu_i(x|w)} + \sqrt{\mu_i(y|w)}} \quad (7)$$

where

$$\lambda_H \equiv \frac{\theta_H + \varepsilon}{(\theta_H + \varepsilon) - (\theta_L + \varepsilon)} \quad \text{and} \quad \lambda_L \equiv \frac{\theta_L + \varepsilon}{(\theta_H + \varepsilon) - (\theta_L + \varepsilon)}$$

(note that $\lambda_H - \lambda_L = 1$). As $\lambda_L \rightarrow 0$,

$$q_i^*(x|w) \rightarrow \frac{\sqrt{\mu_i(x|w)}}{\sqrt{\mu_i(x|w)} + \sqrt{\mu_i(y|w)}} \quad (8)$$

Henceforth, we assume that the primitives μ , λ_H and λ_L are such that

$$\frac{\lambda_L}{\lambda_H} < \sqrt{\frac{\mu_i(x|w)}{\mu_i(y|w)}} < \frac{\lambda_L + 1}{\lambda_H - 1} \quad (9)$$

for every w and every i , such that $q^*(w)$ is an interior solution for every w . As θ_L and ε approach zero, this condition becomes less restrictive.

3.2 Incentive Compatibility

In order to implement the optimal policy, the platform needs to know advertisers' types. Now suppose that the platform is unable to directly verify this information. Therefore, it relies on advertisers' self-reports - which we interpret as requests to target a specific

preference group. The reports are submitted ex-ante, once and for all - that is, we do not allow for dynamic reporting, in line with our restriction to stationary environments.

A policy (q, F) is incentive-compatible (IC) if no single advertiser has an incentive to misreport its type, given that every other advertiser reports truthfully.³ When a single advertiser of type x pretends to be y , it changes its probability of display from $q_i(x|w)/m$ to $q_i(y|w)/(m+1)$ for each consumer i . Hence, the transition probability from D_x to S_x changes to

$$\theta_H[q_i(x|w) + \frac{q_i(y|w)}{m+1}] + \theta_L q_i(y|w) \left(\frac{m}{m+1}\right)$$

since a type x consumer will transact with probability θ_H if the displayed ad is either by one of the truthful x advertisers or by the single deviating advertiser, and with probability θ_L if the displayed ad is by one of the truthful y advertisers. Similarly, the transition probability from D_y to S_y changes to

$$\theta_H[q_i(y|w) \left(\frac{m}{m+1}\right)] + \theta_L[q_i(x|w) + \frac{q_i(y|w)}{m+1}]$$

Consequently, the invariant probability that consumer i is in state D_x is

$$\tilde{\rho}_i(x|w) = \frac{\mu_i(x|w)\varepsilon}{\left(\frac{m}{m+1}\right)(\theta_H - \theta_L)q_i(x|w) + \theta_H\left(\frac{1}{m+1}\right) + \theta_L\left(\frac{m}{m+1}\right) + \varepsilon}$$

and the invariant probability that he is in state D_y is

$$\tilde{\rho}_i(y|w) = \frac{\mu_i(y|w)\varepsilon}{\left(\frac{m}{m+1}\right)(\theta_H - \theta_L)q_i(y|w) + \theta_L + \varepsilon}$$

In a similar manner, we can derive the invariant probabilities when a single y advertiser deviates. Note that $\tilde{\rho}_i \rightarrow \rho_i$ as $m \rightarrow \infty$.

It follows that an x advertiser weakly prefers to report its type if and only if

$$\begin{aligned} & \sum_{i \in N} \sum_{w \in W} \mu(w) \frac{q_i(x|w)}{m} [\theta_H \rho_i(x|w) + \theta_L \rho_i(y|w)] - F_x \\ & \geq \sum_{i \in N} \sum_{w \in W} \mu(w) \frac{q_i(y|w)}{m+1} [\theta_H \tilde{\rho}_i(x|w) + \theta_L \tilde{\rho}_i(y|w)] - F_y \end{aligned}$$

³In principle, the platform could design a more general mechanism that exploits its knowledge of m , such that all advertisers are severely punished if the number of x reports is not m . This would make truthful reporting trivially incentive-compatible. However, this device is very artificial and unreasonably relies on exact knowledge of m .

We refer to this inequality as the $IC(x, y)$ constraint. The IC constraint of a y advertiser, referred to as $IC(y, x)$, is similarly defined.

We wish to derive conditions under which the optimal policy (q^*, F^*) is IC in the $m \rightarrow \infty$ limit. When it is, we say that the optimal policy is implementable. Because F^* fully extracts advertisers' surplus, the L.H.S of $IC(x, y)$ and $IC(y, x)$ is zero. In the $m \rightarrow \infty$ limit, the inequalities thus reduce to

$$\begin{aligned} \sum_{i \in N} \sum_{w \in W} \mu(w) q_i(y|w) [\rho_i(x|w) - \rho_i(y|w)] &\leq 0 \\ \sum_{i \in N} \sum_{w \in W} \mu(w) q_i(x|w) [\rho_i(y|w) - \rho_i(x|w)] &\leq 0 \end{aligned} \tag{10}$$

Plugging the solution for q^* from the previous sub-section, we can obtain a necessary and sufficient condition for implementability of the optimal policy in the $m \rightarrow \infty$ limit. However, in order to present this condition in an interpretable, transparent form, we need to introduce a new concept.

The Bhattacharyya Coefficient

Suppose that we learned the type of a particular consumer i . Then, we could update our beliefs over the aggregate signal realization w . The conditional distributions $(\mu_i(w|t_i))_{w \in W}$, $t_i = x, y$, describe these updated beliefs. The following measure of similarity between these two conditional distributions turns out to play a key role in the condition for implementability of the optimal policy. Define

$$S \equiv \sum_{w \in W} \sqrt{\mu_i(w|x) \mu_i(w|y)} \tag{11}$$

Note that the label-neutrality of μ implies that S is the same for all consumers i .

In the Statistics and Machine Learning literatures, S is known as the *Bhattacharyya Coefficient* that characterizes the distributions $\mu_i(\cdot|x)$ and $\mu_i(\cdot|y)$.⁴ From a geometric point of view, this is an appropriate similarity measure because S is the direction cosine between two unit vectors in $\mathbb{R}^{|W|}$, $(\sqrt{\mu_i(w|x)})_{w \in W}$ and $(\sqrt{\mu_i(w|y)})_{w \in W}$. The value of S increases as the angle between these two vectors shrinks; $S = 1$ if the two vectors coincide; and $S = 0$ if they are orthogonal. More importantly, S is a measure of the informativeness of the platform's signal. The stochastic matrix $(\mu_i(\cdot|t))_{t \in \{x, y\}}$ can be viewed as an information system in Blackwell's sense. The following result (which is stated and proved in Eliaz and Spiegler (2015)) establishes a link between Blackwell

⁴See Basu, Shioya and Park (2011) and Theodoris and Koutroumbas (2008). A related concept is the *Hellinger distance* between distributions, given by $H^2(x, y) = 1 - \sqrt{S(x, y)}$.

informativeness and the Bhattacharyya Coefficient.

Remark 1 *The Bhattacharyya Coefficient S decreases with the Blackwell informativeness of $(\mu_i(\cdot|t))_{t \in \{x,y\}}$.*

Example 1 revisited

To illustrate the Bhattacharyya Coefficient in our context, let us revisit the e-mail example of Section 2. Consider the distribution over signals conditional on the two possible types of user 1. First, note that the signals (y, y) and (y, x) are impossible when $t_1 = x$ because by assumption, such a user type always sends an e-mail with reference to babies. Second, the signal (x, y) is impossible when $t_1 = y$, because this babyless type can only refer to babies if his friend has a baby, which would then imply $w_2 = x$, a contradiction. It follows that the only signal realization w for which $\mu_1(w|x)\mu_1(w|y) > 0$ is (x, x) . Therefore,

$$S = \sqrt{\mu_i((x, x)|x)\mu_i((x, x)|y)} = \sqrt{(\pi + (1 - \pi)\xi) \cdot \pi\xi}$$

Note that S increases in both π and ξ . That is, the platform's signal is more informative as the type distribution becomes more symmetric and as babyless users become less likely to mention babies in their e-mails. \square

Our analysis in later sections will make use of the following property of the Bhattacharyya Coefficient.

Remark 2 *Suppose that we can represent w as a pair, $w = (g_1, g_2)$, such that $\mu(g_1, g_2|t) \equiv \mu(g_1|t)\mu(g_2|t)$ - i.e., g_1 is independent of g_2 conditional on t , according to μ . For every $k = 1, 2$, define*

$$S_k = \sum_{g_k \in G_k} \sqrt{\mu(g_k|x)\mu(g_k|y)}$$

Then, $S = S_1 \cdot S_2$.

Remark 2 says that the Bhattacharyya Coefficient induced by a collection of signals that are independent conditional on the consumer's type is the product of the signals' coefficients. The property follows immediately from the coefficient's definition, and therefore the proof is omitted.

As an aside, we note that the Bhattacharyya Coefficient is useful in understanding how the platform's payoff from the optimal policy (q^*, F^*) depends on the signal's

informativeness. If we plug the solution (7) into the advertisers' total surplus (5), we obtain:

$$n\varepsilon \left[\frac{\bar{\theta} + \frac{1}{2}\varepsilon}{\bar{\theta} + \varepsilon} - \varepsilon \frac{\sqrt{\pi(1-\pi)}}{\bar{\theta} + \varepsilon} S \right]$$

where $\bar{\theta} = \frac{1}{2}(\theta_H + \theta_L)$. This expression for the platform's "first-best" payoff decreases with the Bhattacharyya Coefficient S when π is held fixed (however, as we saw in Example 1, S can vary with π). The intuition is that a more informative signal facilitates effective targeting and therefore increases the average number of transactions per period.

Condition for implementing the optimal policy

The next result employs the Bhattacharyya Coefficient to derive a simple necessary and sufficient condition for implementability of the optimal policy. The following result - as well as all subsequent ones - focuses on implementability *in the $m \rightarrow \infty$ limit*.

Proposition 1 *Suppose that $q^*(w)$ is an interior solution for every w . Then, (q^*, F^*) is implementable if and only if*

$$S \leq \left(\frac{\lambda_H}{\lambda_L + \lambda_H} \right) \sqrt{\frac{1-\pi}{\pi}} + \left(\frac{\lambda_L}{\lambda_L + \lambda_H} \right) \sqrt{\frac{\pi}{1-\pi}} \quad (12)$$

Thus, implementability of the optimal policy depends on two factors: the "type ratio" $\pi/(1-\pi)$ and the informativeness of the platform's signal (as captured by the Bhattacharyya Coefficient of μ). Recall the analogy to "welfare theorems" described in the Introduction. Proposition 1 can be viewed as a characterization of environments in which competitive markets can sustain an efficient allocation of advertisers over consumers' scarce attention.

To get an intuition for the result, consider the $\lambda_L/\lambda_H \rightarrow 0$ limit, where a consumer rarely buys a product from a poor-match advertiser and where repeat purchases are rare, such that condition (12) simplifies into

$$S \sqrt{\frac{\pi}{1-\pi}} \leq 1 \quad (13)$$

The optimal display probability $q_i^*(t|w)$ in the $\lambda_L/\lambda_H \rightarrow 0$ limit is proportional to the *square root* of $\mu_i(t|w)$. By comparison, the fee paid by a firm that submits the report t is proportional to $\mu(t)$. Thus, although a product with high $\mu_i(t|w)$ gets an advantage in

terms of display probability, the square root factor *softens* this advantage. The optimal policy’s differential treatment of display probabilities and fees is a force that favors the less popular product type y , thus creating an incentive for x firms to misreport. When the type ratio $\pi/(1 - \pi)$ gets larger (holding S fixed, for the sake of the argument - the two terms are often interdependent), the gap between the fees paid by firms of different types widens, and this exacerbates the misreporting incentive. As the signal becomes more informative, the values of $\mu_i(t|w)$ get closer to zero or one, such that the “square root effect” vanishes, and this mitigates the misreporting incentive. Finally, recall that the platform conditions the display probabilities on w , whereas advertisers are uninformed of w at the time they submit their reports. When the signal is highly informative, a firm that chooses to misreport knows it will be displayed with high (low) probability to consumers with low (high) probability of transacting with it, and this is another force that mitigates the misreporting incentive.

The probability ε of exiting the satiation state and the match-quality parameters θ_L and θ_H contribute to the coefficient $\lambda_L/(\lambda_L + \lambda_H)$ that features in condition (12). Note that $\lambda_L/(\lambda_L + \lambda_H) \in (0, \frac{1}{2})$ and that it increases with λ_L/λ_H , implying that it *increases* with ε and θ_L but *decreases* with θ_H . Because $\pi \geq \frac{1}{2}$, an increase in $\lambda_L/(\lambda_L + \lambda_H)$ leads to an increase in the R.H.S of (12), and therefore makes the condition easier to satisfy. The following result summarizes the comparative statics of the necessary condition with respect to λ_L/λ_H .

Proposition 2 *If the optimal policy is not implementable for a given λ_L/λ_H , then it is not implementable under $\lambda'_L/\lambda'_H < \lambda_L/\lambda_H$.*

In particular, as consumers become *more attentive* to ads and as the propensity for repeat purchases *declines*, the condition for implementing the optimal policy becomes *harder* to meet.

Condition for first-best implementability in Example 1

Let us write the condition for implementing the first-best in this example in the $\lambda_L/\lambda_H \rightarrow 0$ limit:

$$\sqrt{(\pi + (1 - \pi)\xi) \cdot \pi\xi} \leq \sqrt{\frac{1 - \pi}{\pi}}$$

which simplifies into

$$\pi^3\xi(1 - \xi) + \pi^2\xi + \pi - 1 \leq 0$$

We can see that if π is sufficiently close to $\frac{1}{2}$, the condition holds for all ξ . However, for every sufficiently high π , there exists $\xi^*(\pi)$ such that the condition fails for all

$\xi > \xi^*(\pi)$. Thus, a more symmetric distribution of consumer types is unambiguously better for implementability of the first-best. As we will later see, this is not always the case.

More than two types

Throughout this paper, we assume that there are only two preference/product types, x and y . Suppose that there are $K > 2$ types, denoted x_1, \dots, x_K . Suppose that the high-quality match probability θ_H applies whenever firms' and consumers' types coincide, and that the low-quality match probability θ_L applies in any other case. Consider the case in which the optimal display rule is interior: $q_i^*(x_k|w) > 0$ for all $i \in N$, $w \in W$ and $k = 1, \dots, K$. Then, it is straightforward to show that a necessary and sufficient condition for implementability of the optimal policy is that for every pair of types x_k and x_{k^*} ,

$$S(k, k^*) \leq \left(\frac{\lambda_H}{\lambda_H + \lambda_L}\right) \sqrt{\frac{\mu(x_k)}{\mu(x_{k^*})}} + \left(\frac{\lambda_L}{\lambda_H + \lambda_L}\right) \sqrt{\frac{\mu(x_{k^*})}{\mu(x_k)}}$$

where $\mu(x_k)$ is the ex-ante probability that a consumer is of type x_k , and $S(k, k^*)$ is the Bhattacharyya Coefficient of $(\mu(w|x_k))_{w \in W}$ and $(\mu(w|x_{k^*}))_{w \in W}$.

4 Content Platforms

In a prevalent type of non-retail platforms, users upload and consume content. In the case of online newspapers, users' role is almost entirely limited to consumption. Other platforms treat users as both producers and consumers of content. In some cases (e.g., Reddit), the platform is roughly like a communal message board. In others (e.g. Pinterest) there are also elements of a social network. One common feature of these content platforms is that the content that a user consumes reflects not only his personal taste but also the availability of various types of content (and therefore, indirectly, other users' types). In particular, a user may fail to consume his ideal content if it is scarce or not prominent.

In this section we study a simple and very stylized example of advertising on a content platform. Suppose that the consumer population consists of n content consumers. The consumers all face a supply of m content items. Each item is generated by a producer, whose type is drawn from the same distribution as the consumers, such that a producer of type $t \in \{x, y\}$ always uploads content of type t . We ignore the targeting of content producers, and focus entirely on consumers (one justification is that producers reveal their type with high probability, and therefore generate no incentive issues for

advertising). Each consumer always consumes exactly one of the m available items. Thus, the signal about each consumer i specifies the types of each of the m available content items as well as the type of the item that consumer i consumes. Consumer of type t consumes type t content whenever it is available. It follows that the only case in which the consumer will not consume his type of content is when all m items are of the other type.

Proposition 3 *The first-best is implementable in the $\lambda_L/\lambda_H \rightarrow 0$ limit if and only if*

$$\pi^m + (1 - \pi)^m \leq \sqrt{\frac{1 - \pi}{\pi}}$$

Proof. In this example, deriving the Bhattacharyya Coefficient is very simple. Whenever the signal realization w is such that both content types are available, each consumer consumes his type of content with probability one. In this case, either $\mu_i(w|x) = 0$ or $\mu_i(w|y) = 0$, hence w contributes a zero term to the coefficient. It follows that the only signal realizations w that have a positive contribution to the Bhattacharyya Coefficient are those in which only one type of content is available, and in this case consumer choices are completely uninformative of their type, such that $\mu_i(w|x) = \mu_i(w|y)$. As a result, the contributed term $\sqrt{\mu_i(w|x)\mu_i(w|y)}$ is equal to the probability of the realized available content profile. Therefore, $S = \pi^m + (1 - \pi)^m$. The result follows immediately. ■

This result captures the intuition that a large supply of content that is drawn from a diverse distribution increases the likelihood that consumers' observed content consumption will reveal their tastes, and hence the informativeness of the platform's signal. The result also demonstrates the simplification achieved by expressing the implementability condition in terms of the type distribution and the Bhattacharyya Coefficient. As in Example 1, the condition is easier to satisfy when π is closer to $\frac{1}{2}$. Specifically, for every $m > 1$ there is a critical value $\pi^*(m) \in (\frac{1}{2}, 1)$, such that the condition for first-best implementability holds if and only if $\pi \leq \pi^*(m)$. Note that $\pi^*(m)$ increases with m - i.e., a larger supply of content makes it easier to implement the first-best, because the uninformative signal realizations become rarer. Because moving π closer to $\frac{1}{2}$ improves both the informativeness and the "type ratio" factors, the comparative statics are clear-cut.

5 Social Networks

We now turn to our main application in this paper, where the platform operates a social network - i.e., it enables consumers to form social links with each other. Whether a pair of consumers is linked depends stochastically on their types. The network structure does not evolve over time. Many non-retail platforms nowadays include some element of a social network. We focus entirely on the informational content of the network structure itself, and ignore other aspects of the users' activity on the network that may generate valuable information for advertisers. This will enable us to establish a theoretical connection with an interesting question in the Network Science literature.

Formally, a social network is a random non-directed graph in which consumers are nodes. The set W can thus be redefined as the set of all possible networks. From now on, we will refer to elements in N as consumers or nodes interchangeably. We assume that μ obeys a random graph process known as the *stochastic block model* (SBM). An SBM is characterized by a triplet (n, σ, P) , where n is the number of nodes, σ is a probability vector over k types and P is a $k \times k$ symmetric matrix, where the entry P_{ij} gives the independent probability that a node of type i forms a link with a node of type j . In the case of $k = 2$ that fits our model, the type distribution σ is represented by π , and the connectivity matrix P is characterized by three parameters: p_x , the probability that two x types connect, p_y ; the probability that two y types connect; and p_{xy} the probability that different types connect. The components σ and P generate a joint distribution μ over consumer-type profiles and social networks that satisfies the label-neutrality property we assumed in Section 2.

The following are two natural specifications of the two-type SBM. Under *homophily*, agents with similar characteristics are more likely to connect. The connectivity matrix in this case can be captured by two parameters: $p_x = p_y = \alpha$ and $p_{xy} = \beta < \alpha$. An alternative story is that some agents have a greater propensity to form social links than others. We refer to this specification as *extroversion/introversion*. This case can also be represented with two parameters $\alpha > \beta$, such that $p_x = \alpha^2$, $p_y = \beta^2$ and $p_{xy} = \alpha\beta$.

Example 2: A three-node network with perfect homophily

Let $n = 3$ and assume that nodes i and j are linked in w if and only if $t_i = t_j$. Then, the network is pinned down by the profile of consumer types. In particular, the only networks that are realized with positive probability are the fully connected graph and a graph in which exactly two nodes are connected. We can use this observation to calculate $\mu_i(w|t_i)$. For example, the probability that the network is fully connected conditional on $t_1 = x$ is π^2 , while the probability of this network conditional on $t_1 = y$

is $(1 - \pi)^2$; the probability of the network in which only 1 and 2 are linked conditional on $t_1 = x$ is $\pi(1 - \pi)$; and so forth.

The Bhattacharyya Coefficient in this example is as follows. Let w_{ijl} denote the fully connected network, and let w_{ij} denote the network in which only nodes i and j are linked. Then,

$$S = \sqrt{\mu_i(w_{ijl}|x)\mu_i(w_{ijl}|y)} + \sqrt{\mu_i(w_{jl}|x)\mu_i(w_{jl}|y)} + 2\sqrt{\mu_i(w_{ij}|x)\mu_i(w_{ij}|y)} = 4\pi(1 - \pi)$$

Therefore, the first-best is implementable in the $\lambda_L/\lambda_H \rightarrow 0$ limit if and only if

$$4\pi(1 - \pi) \leq \sqrt{\frac{1 - \pi}{\pi}}$$

which simplifies into

$$16\pi^3(1 - \pi) \leq 1$$

Thus, the condition is satisfied as long as $\pi \gtrsim 0.92$. That is, implementability of the first-best requires a highly asymmetric type distribution. Contrast this with our findings in the previous section, where implementability depended on a relatively *symmetric* type distribution. \square

This example might suggest that asymmetric type distributions are always conducive to implementing the first-best in the social-networks example. This turns out not to be the case for generic connectivity matrices. In particular, when the type ratio is too large or too small, the optimal policy is not implementable when λ_L/λ_H is small.

Proposition 4 *Fix $n \geq 2$ and a generic P . There exist $\pi^*, \pi^{**} \in (\frac{1}{2}, 1)$ with the property that for every $\pi \in (\pi^*, 1) \cup (\frac{1}{2}, \pi^{**})$ and every sufficiently small λ_L/λ_H , the optimal policy is not implementable.*

Proof. Our method of proof is to obtain two different lower bounds on S , and use these bounds to derive π^* and π^{**} .

(i) Fix a node i . Suppose that the platform were informed of the realized network w , as well as of t_j for all $j \neq i$. This would clearly be a (weakly) more informative signal of t_i than learning w only. Moreover, conditional on learning $(t_j)_{j \neq i}$, the link status between any $j, h \neq i$ has no informational content regarding t_i (follows from the assumption that the SBM is known and from Remark 1). Therefore, in order to calculate a lower bound on S , we can consider a signal that consists of $(t_j)_{j \neq i}$ and the link status between i and every other j .

Let us calculate the Bhattacharyya Coefficient of the signal that consists of learning t_j and whether nodes i and j are linked:

$$\begin{aligned}
& \sqrt{\pi p_x \cdot \pi p_{xy}} + \sqrt{\pi(1-p_x) \cdot \pi(1-p_{xy})} \\
& + \sqrt{(1-\pi)p_{xy} \cdot (1-\pi)p_y} + \sqrt{(1-\pi)(1-p_{xy}) \cdot (1-\pi)(1-p_y)} \\
= & \pi \left(\sqrt{p_x p_{xy}} + \sqrt{(1-p_x)(1-p_{xy})} \right) + (1-\pi) \left(\sqrt{p_y p_{xy}} + \sqrt{(1-p_y)(1-p_{xy})} \right)
\end{aligned}$$

Because signals that correspond to different nodes $j \neq i$ are independent conditional on t_i , Remark 2 implies that the Bhattacharyya Coefficient of the signal that consists of $(t_j)_{j \neq i}$ and the link status between i and every other j is

$$\left[\pi \left(\sqrt{p_x p_{xy}} + \sqrt{(1-p_x)(1-p_{xy})} \right) + (1-\pi) \left(\sqrt{p_y p_{xy}} + \sqrt{(1-p_y)(1-p_{xy})} \right) \right]^{n-1}$$

Recall that by construction, this expression is weakly below S . Without loss of generality, let

$$\sqrt{p_x p_{xy}} + \sqrt{(1-p_x)(1-p_{xy})} \leq \sqrt{p_y p_{xy}} + \sqrt{(1-p_y)(1-p_{xy})}$$

Then, S is weakly above

$$\delta \equiv \left(\sqrt{p_x p_{xy}} + \sqrt{(1-p_x)(1-p_{xy})} \right)^{n-1}$$

For generic P (in particular, when all matrix entries get values in $(0, 1)$), this term is strictly positive.

For any δ , we can find π^* sufficiently close to one such that $\sqrt{(1-\pi^*)/\pi^*} = \delta^2 < 1$. For any $\pi > \pi^*$, let $\sqrt{(1-\pi)/\pi} = \hat{\delta}^2$ where $\hat{\delta} < \delta$, and choose the ratio λ_L/λ_H to be sufficiently close to zero such that the R.H.S of (12) is arbitrarily close to $\hat{\delta}^2$, and therefore below δ , thus violating (12).

(ii) Let us now obtain a different lower bound on S . Once again, we use the fact that S decreases with the informativeness of the signal given by the network. For fixed n and π , this informativeness is maximal under perfect homophily - i.e., when $p_x = p_y = 1$ and $p_{xy} = 0$. Assume perfect homophily, and consider an arbitrary node. Conditional on this node's type, if we learn whether it is linked to the other nodes, we do not gain any additional information from learning the links among these other nodes. The reason is that conditional on the node's type, it is linked to another node

if and only if the two nodes' types are identical. Thus, knowing the node's type and its link status with all other nodes, we can entirely pin down the rest of the network. Moreover, conditional on the node's type, its link status with respect to some node is independent of its link status with respect to another node.

It follows that the signal given by the network under perfect homophily is equivalent to a collection of $n - 1$ conditionally independent signals: each signal generates a link with probability $\pi(1 - \pi)$ conditional on the original node's type being x (y). By Remark 2, the Bhattacharyya Coefficient for this network is thus

$$\left(\sqrt{\pi(1 - \pi)} + \sqrt{(1 - \pi)\pi}\right)^{n-1}$$

Since this expression is weakly lower than S , the following inequality is a necessary condition for the implementability of the optimal policy:

$$\left(\sqrt{4\pi(1 - \pi)}\right)^{n-1} \leq \left(\frac{\lambda_H}{\lambda_L + \lambda_H}\right)\sqrt{\frac{1 - \pi}{\pi}} + \left(\frac{\lambda_L}{\lambda_L + \lambda_H}\right)\sqrt{\frac{\pi}{1 - \pi}}$$

By multiplying both sides of the inequality by $\sqrt{\pi/(1 - \pi)}$, we can rewrite it as follows:

$$2^{n-1}\pi^{\frac{n}{2}}(1 - \pi)^{\frac{n}{2}-1} \leq \left(\frac{1}{\lambda_L/\lambda_H + 1}\right) + \left(\frac{\lambda_L/\lambda_H}{\lambda_L/\lambda_H + 1}\right)\left(\frac{\pi}{1 - \pi}\right) \quad (14)$$

The inequality is binding for $\pi = \frac{1}{2}$. We wish to show that there exists π^{**} sufficiently close to $\frac{1}{2}$ with the property that for every $\pi \in (\frac{1}{2}, \pi^{**})$ there exists $\tau^{**}(\pi)$ such that condition (14) is violated for every $\lambda_L/\lambda_H < \tau^{**}(\pi)$. To show this, it suffices to construct π^{**} and $\tau^{**}(\pi)$ such that for every $\pi \in (\frac{1}{2}, \pi^{**})$ and $\lambda_L/\lambda_H < \tau^{**}(\pi)$, the derivative of the L.H.S of (14) with respect to π is strictly higher than the corresponding derivative of the R.H.S.

The derivative of the L.H.S of (14) with respect to π is equal to

$$2^{n-1}\pi^{\frac{n}{2}-1}(1 - \pi)^{\frac{n}{2}-2}\left[\frac{n}{2} - \pi(n - 1)\right] \quad (15)$$

which is positive if $\frac{1}{2} < \pi < \frac{n}{2(n-1)}$. Since the expression (15) equals 2 when $\pi = \frac{1}{2}$, it is strictly above one when π is sufficiently close to $\frac{1}{2}$.

The derivative of the R.H.S. of (14) with respect to π is equal to

$$\left(\frac{\lambda_L/\lambda_H}{\lambda_L/\lambda_H + 1}\right) \cdot \frac{1}{(1 - \pi)^2}$$

which, for all $\pi \in (\frac{1}{2}, 1)$, is positive and increasing in π and λ_L/λ_H . Given $\pi \in (\frac{1}{2}, \pi^{**})$, let $\tau^{**}(\pi)$ be the solution to the equation

$$\frac{\tau^{**}(\pi)}{\tau^{**}(\pi) + 1} \cdot \frac{1}{(1 - \pi)^2} = 1$$

Hence, for any $\pi \in (\frac{1}{2}, \pi^{**})$ and any $\lambda_L/\lambda_H < \tau^{**}(\pi)$, the derivative with respect to π of the L.H.S of (14) is strictly higher than the corresponding derivative of the R.H.S. ■

Thus, an intermediate type ratio is necessary for implementing the optimal policy under the SBM (in the low λ_L/λ_H regime). The intuition behind the case of a large type ratio (i.e., π close to 1) is simple. For generic P and fixed n , there is an upper limit to the network's informational content, which implies a positive lower bound on the Bhattacharyya Coefficient. Moreover, this lower bound is independent of π . Therefore, a sufficiently large π induces an adverse type-ratio factor that overweighs whatever positive effect it may have on the informativeness factor.⁵

The case of a relatively symmetric type distribution (i.e., π close to $\frac{1}{2}$) is less obvious. In this case, the network is very uninformative about the nodes' types. For example, in the homophily case with high α and low β , with high probability the network will consist of two fully connected components, yet they will tend to be similar in size and it will be difficult to identify the type of consumers that belong to each component. Thus, both S and $(1 - \pi)/\pi$ will be close to one in the $\pi \rightarrow \frac{1}{2}$ regime, and it is not clear a priori which effect is stronger. However, it turns out that when π is close to $\frac{1}{2}$, the type-ratio effect due to changing π overweighs the informativeness effect.

In Example 2, we saw that when $n = 3$, implementing the first-best is impossible for most values of π , even though the SBM was maximally informative given the network size. This raises the question of whether increasing n would help implementing the first-best. The following result gives a positive answer.

Proposition 5 *Fix a generic (π, P) . There exists n^* such that the optimal policy is implementable for all SBMs (n, π, P) with $n > n^*$.*

Proof. Fix an arbitrary node i . Suppose that we were given a signal that only describes whether there is a link between i and some given node $j \neq i$. The probability of a link conditional on $t_i = x$ is $\eta_x = \pi p_x + (1 - \pi)p_{xy}$, and the probability of a link conditional

⁵This result does not contradict Example 2, because perfect homophily is not generic. Slight perturbation of the connectivity matrix in Example 2 would lead to non-implementability for sufficiently large π .

on $t_i = y$ is $\eta_y = \pi p_{xy} + (1 - \pi)p_y$. Therefore, the Bhattacharyya Coefficient that corresponds to this signal is

$$\sqrt{\eta_x \eta_y} + \sqrt{(1 - \eta_x)(1 - \eta_y)} \quad (16)$$

Now suppose that we are given a signal that describes whether there is a link between i and *each* of the other $n - 1$ nodes. Since the probability of such a link is independent across all $j \neq i$ conditional on t_i , Remark 2 implies that the Bhattacharyya Coefficient that corresponds to this signal is

$$[\sqrt{\eta_x \eta_y} + \sqrt{(1 - \eta_x)(1 - \eta_y)}]^{n-1} \quad (17)$$

Now, observe that this signal is weakly less informative than learning the entire network w . Therefore, S is weakly below the expression (17). It follows that the following inequality is a sufficient condition for the implementability of the optimal policy:

$$[\sqrt{\eta_x \eta_y} + \sqrt{(1 - \eta_x)(1 - \eta_y)}]^{n-1} \leq \left(\frac{1}{\lambda_L/\lambda_H + 1}\right) \sqrt{\frac{1 - \pi}{\pi}} + \left(\frac{\lambda_L/\lambda_H}{\lambda_L/\lambda_H + 1}\right) \sqrt{\frac{\pi}{1 - \pi}} \quad (18)$$

For generic (π, P) , $\eta_x \neq \eta_y$, such that $\sqrt{\eta_x \eta_y} + \sqrt{(1 - \eta_x)(1 - \eta_y)} < 1$. In addition, for any $(\pi, \lambda_L, \lambda_H)$ that satisfy (9), the R.H.S. of (18) is bounded away from zero. Therefore, there exists n^* such that the inequality holds for every $n > n^*$. ■

Thus, for a large enough network, incentive compatibility does not constrain implementing the optimal policy. The proof involves a simple “law of large numbers” argument. For illustration, consider the extreme case of perfect homophily, where $\alpha = 1$ and $\beta = 0$. Then, any realized network consists of two fully connected components. When n is large, the probability that the larger component consists of x consumers is close to one. As $n \rightarrow \infty$, the network becomes arbitrarily informative, such that S becomes arbitrarily close to zero, and the condition for implementability of the optimal policy is satisfied.

To get a quantitative sense of Proposition 5, consider the following table, which

provides values of n^* for various specifications of the homophily case:

π	α	β	λ_L/λ_H	n^*
0.6	0.1	0.05	0	1,124
0.6	0.1	0.02	0	356
0.75	0.1	0.05	0	485
0.75	0.1	0.02	0	151
0.6	0.01	0.005	0	12,060
0.6	0.01	0.002	0	3,762
0.999	0.1	0.05	0	748
0.75	0.1	0.05	0.2	231
0.75	0.1	0.02	0.2	72

This table illustrates the forces that affect implementability of the optimal policy, via their effect on (16) - the Bhattacharyya Coefficient of a signal that indicates whether there is a link between two given nodes (as n^* is based on this quantity).

Up to now we assumed that the likelihood of forming links does not change as we increase the network size. Thus, the expected degree of a node was linear in n . However, in the context of social networks, it makes sense to assume that the average number of links that a node forms grows at a slower rate than the network size. As a result, the network will become sparser as it grows larger. In this case, it is not clear whether a larger network will be more informative than a smaller one, and therefore it is not clear whether the optimal policy will be easier to implement.

To address this question, we turn to a literature within Network Science known as *community detection* (see Mossel et al. (2012), Abbe and Sandon (2015), and the references therein). The objective in this literature is to identify with high probability the types of nodes in a given network, under the assumption that the network was generated by a known SBM. The literature looks for conditions on the SBM parameters that are necessary and sufficient for identifying node types and for implementing the identification with computationally efficient algorithms. These conditions capture the extent to which the network is informative about node types. Because this is also a crucial consideration in our model, the community-detection literature allows us to obtain simple sufficient conditions for implementability of the optimal policy if the network-formation process obeys an SBM.

Following the practice in the community detection literature, assume that the expected degree of a node grows *logarithmically* with n . Specifically, we assume that the

connectivity matrix P depends on n , such that

$$p_x = a^2 \frac{\ln(n)}{n} \quad p_{xy} = b^2 \frac{\ln(n)}{n} \quad p_y = c^2 \frac{\ln(n)}{n}$$

where a, b, c are arbitrary constants. To derive a *sufficient* condition for implementability of the optimal policy, we borrow existing necessary and sufficient conditions for (asymptotic) *exact recovery* of two asymmetric ‘‘communities’’. By exact recovery, we mean that for a given large network, there exists an algorithm that can identify the type of each node with a probability arbitrarily close to one. If exact recovery is feasible, then the network is almost perfectly informative. This implies that S is close to zero and therefore the condition for implementability of the optimal policy holds.

Proposition 6 *In the $n \rightarrow \infty$ limit, the optimal policy is implementable whenever*

$$\pi(a - b)^2 + (1 - \pi)(c - b)^2 \geq 2 \quad (19)$$

Proof. By definition,

$$S = \frac{1}{\sqrt{\pi(1 - \pi)}} \sum_{w \in W} \mu(w) \sqrt{\mu(x|w)\mu(y|w)}$$

Exact recovery means that the probability (measured according to μ) of realizations w for which $\mu(x|w)$ or $\mu(y|w)$ are arbitrarily close to zero is arbitrarily high. Therefore, exact recovery is ensured if $S \rightarrow 0$ when $n \rightarrow \infty$.

Let $n \rightarrow \infty$. Given the preceding paragraph, we only need to derive a sufficient condition for exact recovery. By Abbe and Sandon (2015), such a network is exactly recoverable if and only if

$$\max_{r \in [0,1]} \{r[\pi a^2 + (1 - \pi)b^2] + (1 - r)[\pi b^2 + (1 - \pi)c^2] - \pi a^{2r} b^{2(1-r)} - (1 - \pi)b^{2r} c^{2(1-r)}\} \geq 1$$

A sufficient condition for this inequality to hold is that the maximand of the L.H.S is weakly greater than one for $r = \frac{1}{2}$ - i.e., if

$$\pi\left(\frac{a^2 + b^2}{2}\right) + (1 - \pi)\left(\frac{c^2 + b^2}{2}\right) - \pi(ab) - (1 - \pi)(cb) \geq 1$$

which is equivalent to (19). ■

Note that in the homophily case we have $a = c$, whereas the extroversion/introversion case satisfies $b = \sqrt{ac}$. Thus, Proposition 6 implies the following.

Corollary 1 *In the $n \rightarrow \infty$ limit, the optimal policy is implementable in the homophily case whenever*

$$(a - b)^2 \geq 2$$

whereas in the extroversion/introversion case, the optimal policy is implementable whenever

$$(\pi a + (1 - \pi)c)(\sqrt{a} - \sqrt{c})^2 \geq 2$$

Thus, when connectivity increases logarithmically with network size, a sufficient condition for implementability of the optimal policy for a large network is that the homophily or extroversion/introversion effects are strong enough.

6 Partially Informed Advertisers

So far, we assumed that advertisers are entirely uninformed of the realization of w . Relaxing this assumption raises a natural question: can the platform benefit from releasing information to the advertisers? Our first result in this section is a negative answer to this question. This finding then raises an immediate follow-up question: when advertisers can partially retrieve the platform's information, how much can they learn without destroying the platform's ability to implement the optimal policy?

To address the first question, suppose that before an advertiser submits its report to the platform, it receives a signal s regarding the realization of w . The signal is independent of (t_1, \dots, t_n) conditional on w . Let r be the joint distribution over the platform's signal w and the advertiser's signal s . We allow the advertisers' signals to be correlated conditional on w . The platform does not observe the advertisers' signals. For instance, w is a social network and the advertiser learns the subgraph induced by w over some specific subset of nodes.

We extend the incentive-compatibility requirement such that it needs to hold for every realization of s . In principle, because an advertiser's type now consists of both its product type and its information, one would like the pair (q, F) to condition on both. In other words, theoretically advertisers need to report both components of their type. However, because the optimal display rule is only a function of advertisers' product types, it is easy to show that the platform's ability to implement the optimal policy is unaffected if it also requires advertisers to report their signal. Therefore, we will continue to assume that advertisers only report their product type, and this report is the only input that feeds (q, F) . Then, the original IC constraints (10) are exactly the

same, except that the term $\mu(w)$ is replaced with $r(w|s)$. We require advertisers' IR constraint to bind *ex-ante* - i.e., on average across their signal realizations.

It follows that in the $m \rightarrow \infty$ limit, the necessary and sufficient condition for implementability of the optimal policy can be written as follows. For every realization of s and every $t, t' \in \{x, y\}$,

$$\sum_{w \in W} r(w|s) \sum_{i \in N} q_i(t|w) [\rho_i(t|w) - \rho_i(t'|w)] \leq 0 \quad (20)$$

By Blackwell's ranking of information systems, r' is less informative than r if there is a system of conditional probabilities $(p(s|s'))_{s, s'}$, such that for every w, s ,

$$r'(s|w) = \sum_{s'} p(s|s') r(s'|w)$$

The following result establishes that the platform benefits from withholding information from advertisers.

Proposition 7 *(i) If the optimal policy is implementable under r , then it is implementable under any r' that is less informative than r . (ii) Suppose there exists a signal w^* such that $w_i = w_j$ for all consumers i, j , and $\mu_i(x|w^*) \neq \frac{1}{2}$. Then, if advertisers are fully informed of the platform's signal (i.e., $r(w|w) = 1$ for every w), the optimal policy is not implementable when λ_L/λ_H is sufficiently small.*

The reason why withholding information about w from advertisers cannot harm the platform is standard - it means that IC constraints that previously held for all signals are now required to hold only on average. Part (ii) of the result establishes that this monotonicity result is not vacuous: giving advertisers full information about the platform's signal will prevent it from implementing its optimal policy when λ_L/λ_H is small. This part is based on a very mild condition on μ - namely, that there is a perfectly symmetric w that does not induce a uniform posterior. All the examples we consider in this paper satisfy this condition.

Suppose that the platform cannot prevent advertisers from learning *part* of its own signal; how much information can it afford to give away? In the remainder of this section, we analyze this question in the context of the social network application. In particular, consider an SBM and assume that each advertiser gets information by sampling a random subset of no more than d nodes (out of the total of n nodes in the network), and learning the subgraph of w over these d nodes. Recall that w is realized

according to a given SBM. Hence, the Bhattacharyya Coefficient can be defined for any subgraph of w consisting of k nodes, $k = 1, \dots, n$ (where the connectivity matrix is fixed). Denote this coefficient by $S(k)$.

Proposition 8 *Suppose each advertiser is informed of the subgraph induced by w over a random subset of at most d nodes. If*

$$S(n-d) \leq \left[\frac{\lambda_H}{\lambda_L + \lambda_H} \sqrt{\frac{\pi}{1-\pi}} + \frac{\lambda_L}{\lambda_L + \lambda_H} \sqrt{\frac{1-\pi}{\pi}} \right] - \left[\frac{d}{n-d} \cdot \frac{\sqrt{2}-1}{2\sqrt{\pi(1-\pi)}} \right] \quad (21)$$

then the optimal policy is implementable.

Proof. Suppose an advertiser learns the subgraph of w over some subset of nodes N_1 (the size of which is n_1). We can represent w as a triple (g_1, g_2, h) , where g_1 is the subgraph that the advertiser learns, g_2 is the subgraph induced by w over the remaining set of nodes $N_2 = N - N_1$ (the size of which is n_2), and h consists of all links between a node in N_1 and a node in N_2 . Because w is generated by an SBM and g_1 and g_2 are defined over disjoint sets of nodes, g_1 and g_2 are independently distributed.

The necessary and sufficient condition for implementability of the optimal policy is that for every signal g_1 ,

$$\begin{aligned} & \sum_{g_2, h} \mu(g_2, h|g_1) \sum_{i \in N} \sqrt{\mu_i(x|g_1, g_2, h)\mu_i(y|g_1, g_2, h)} \\ & \leq \sum_{g_2, h} \mu(g_2, h|g_1) \sum_{i \in N} \left[\left(\frac{\lambda_H}{\lambda_H + \lambda_L} \right) \mu_i(y|g_1, g_2, h) + \left(\frac{\lambda_L}{\lambda_H + \lambda_L} \right) \mu_i(x|g_1, g_2, h) \right] \end{aligned} \quad (22)$$

and

$$\begin{aligned} & \sum_{g_2, h} \mu(g_2, h|g_1) \sum_{i \in N} \sqrt{\mu_i(x|g_1, g_2, h)\mu_i(y|g_1, g_2, h)} \\ & \leq \sum_{g_2, h} \mu(g_2, h|g_1) \sum_{i \in N} \left[\left(\frac{\lambda_H}{\lambda_H + \lambda_L} \right) \mu_i(x|g_1, g_2, h) + \left(\frac{\lambda_L}{\lambda_H + \lambda_L} \right) \mu_i(y|g_1, g_2, h) \right] \end{aligned} \quad (23)$$

(These expressions are easily derived from the inequality (25) given at the beginning of the proof of Proposition 1 - see the Appendix.)

Since g_1 and g_2 are independent, we can write $\mu(g_2, h|g_1) = \mu(g_2)\mu(h|g_1, g_2)$. Also, observe that $\mu_i(x|g_1, g_2) = \sum_h \mu(h|g_1, g_2)\mu_i(x|g_1, g_2, h)$. Applying the Cauchy-Schwartz

inequality, we obtain

$$\sqrt{\mu_i(x|g_1, g_2)\mu_i(y|g_1, g_2)} \geq \sum_h \mu(h|g_1, g_2) \sqrt{\mu_i(x|g_1, g_2, h)\mu_i(y|g_1, g_2, h)}$$

It follows that inequalities (22)-(23) are implied by the following, simpler inequalities:

$$\begin{aligned} \sum_{i \in N} \left[\sum_{g_2} \mu(g_2) \sqrt{\mu_i(x|g_1, g_2)\mu_i(y|g_1, g_2)} - \left(\frac{\lambda_H}{\lambda_H + \lambda_L}\right)\mu_i(y|g_1) - \left(\frac{\lambda_L}{\lambda_H + \lambda_L}\right)\mu_i(x|g_1) \right] &\leq 0 \\ \sum_{i \in N} \left[\sum_{g_2} \mu(g_2) \sqrt{\mu_i(x|g_1, g_2)\mu_i(y|g_1, g_2)} - \left(\frac{\lambda_H}{\lambda_H + \lambda_L}\right)\mu_i(x|g_1) - \left(\frac{\lambda_L}{\lambda_H + \lambda_L}\right)\mu_i(y|g_1) \right] &\leq 0 \end{aligned}$$

Consider the top inequality (it will be easy to see that if it holds, the bottom inequality holds as well). We can break the summation over $i \in N$ into two summations over N_1 and N_2 . Because g_1 and g_2 are independent, for every $i \in N_1$ we can write $\mu_i(x|g_1, g_2) = \mu_i(x|g_1)$. Similarly, for every $i \in N_2$ we can write $\mu_i(x|g_1, g_2) = \mu_i(x|g_2)$ and $\mu_i(x|g_1) = \mu_i(x) = \pi$. It follows that the inequality can be rewritten as

$$\begin{aligned} &\sum_{i \in N_2} \left[\sum_{g_2} \left(\mu(g_2) \sqrt{\mu_i(x|g_2)\mu_i(y|g_2)} - \left(\frac{\lambda_H}{\lambda_H + \lambda_L}\right)\mu_i(x|g_1) - \left(\frac{\lambda_L}{\lambda_H + \lambda_L}\right)\mu_i(y|g_1) \right) \right] + \\ &\sum_{i \in N_1} \left[\sum_{g_2} \left(\mu(g_2) \sqrt{\mu_i(x|g_1)\mu_i(y|g_1)} - \left(\frac{\lambda_H}{\lambda_H + \lambda_L}\right)\mu_i(x|g_1) - \left(\frac{\lambda_L}{\lambda_H + \lambda_L}\right)\mu_i(y|g_1) \right) \right] \\ &\leq 0 \end{aligned}$$

The top sum can be simplified into

$$n_2 \mathcal{S}(n_2) \sqrt{\pi(1-\pi)} - n_2 \left(\frac{\lambda_H}{\lambda_H + \lambda_L}\right)\pi - n_2 \left(\frac{\lambda_L}{\lambda_H + \lambda_L}\right)(1-\pi)$$

while the bottom sum can be grouped together as

$$\begin{aligned} &\sum_{i \in N_1} \left[\sqrt{\mu_i(x|g_1)\mu_i(y|g_1)} - \left(\frac{\lambda_H}{\lambda_H + \lambda_L}\right)\mu_i(x|g_1) - \left(\frac{\lambda_L}{\lambda_H + \lambda_L}\right)\mu_i(y|g_1) \right] \\ &\leq n_1 \cdot \max_{\chi \in \{0,1\}} \max_{\varphi \in [0,1]} \left[\sqrt{\varphi(1-\varphi)} - \chi\varphi - (1-\chi)(1-\varphi) \right] \\ &= n_1 \cdot \frac{\sqrt{2}-1}{2} \end{aligned}$$

Plugging this term and exploiting the assumption that $\pi > \frac{1}{2}$, we can now obtain the

following sufficient condition for implementability of the optimal policy:

$$n_2 \left[S(n_2) \sqrt{\pi(1-\pi)} - \left(\frac{\lambda_H}{\lambda_H + \lambda_L} \right) \pi - \left(\frac{\lambda_L}{\lambda_H + \lambda_L} \right) (1-\pi) \right] + n_1 \frac{\sqrt{2}-1}{2} \leq 0 \quad (24)$$

Substituting d for n_1 and $n-d$ for n_2 yields the desired condition. ■

Note that the term in the first bracket on the R.H.S. of (21) is precisely the R.H.S. of (12), the necessary and sufficient condition for implementing the optimal policy, while the term in the second bracket is some positive constant that increases in d . Thus, condition (21) says that the optimal policy is implementable even when advertisers observe a subgraph of the network - as long as the informativeness of the subgraph they do *not* observe is sufficiently above the threshold for implementability. This reflects the fact that it is harder to implement the optimal policy when advertisers have some knowledge of the network.

When π and the connectivity matrix are fixed, inequality (21) is stated entirely in terms of d and n . We can therefore express $S(n-d)$ as a function of d , and use the upper bounds on $S(k)$ that we derived in Section 5 to get a closed-form upper bound on d , such that the optimal policy is implementable for any value of d below that bound. Finally, the comparative statics with respect to d are consistent with our previous results. When d increases, the R.H.S of (21) clearly goes down, whereas $S(n-d)$ goes up because a smaller network is a less informative signal. Thus, a larger d makes it more difficult to satisfy the sufficient condition.

Appendix: Omitted Proofs

Proposition 1

From (9), it follows that (7) characterizes the optimal display policy. Plugging this expression for $q_i(t|w)$ into the $IC(x, y)$ constraint (10) yields the following inequality

$$\begin{aligned} & \sum_{i \in N} \sum_{w \in W} \mu(w) \cdot \sqrt{\mu_i(x|w) \mu_i(y|w)} \\ & \leq \sum_{i \in N} \sum_{w \in W} \mu(w) \cdot \left[\left(\frac{\lambda_H}{\lambda_L + \lambda_H} \right) \mu_i(y|w) + \left(\frac{\lambda_L}{\lambda_L + \lambda_H} \right) \mu_i(x|w) \right] \end{aligned} \quad (25)$$

Note that $\mu(w) \mu_i(t|w) = \mu_i(t, w)$ and $\sum_{w \in W} \mu_i(x, w) = \pi$. The above inequality can thus be rewritten as

$$\sum_{i \in N} \sum_{w \in W} \sqrt{\mu_i(x, w) \mu_i(y, w)} \leq n \left(\frac{\lambda_H}{\lambda_L + \lambda_H} \right) (1-\pi) + n \left(\frac{\lambda_L}{\lambda_L + \lambda_H} \right) \pi \quad (26)$$

Because $\mu_i(x, w) = \pi\mu_i(w|x)$ and $\mu_i(y, w) = (1 - \pi)\mu_i(w|y)$, we can express (26) as the following inequality,

$$\sum_{i \in N} \sum_{w \in W} \sqrt{\mu_i(w|x)\mu_i(w|y)} \leq n\left(\frac{\lambda_H}{\lambda_L + \lambda_H}\right)\sqrt{\frac{1 - \pi}{\pi}} + n\left(\frac{\lambda_L}{\lambda_L + \lambda_H}\right)\sqrt{\frac{\pi}{1 - \pi}}$$

By the ex-ante symmetry of nodes, the L.H.S. of the above inequality is simply nS , so that this inequality reduces to

$$S \leq \frac{\lambda_H}{\lambda_L + \lambda_H}\sqrt{\frac{1 - \pi}{\pi}} + \frac{\lambda_L}{\lambda_L + \lambda_H}\sqrt{\frac{\pi}{1 - \pi}} \quad (27)$$

If we carry out a similar exercise for $IC(y, x)$, we obtain the inequality

$$S \leq \frac{\lambda_H}{\lambda_L + \lambda_H}\sqrt{\frac{\pi}{1 - \pi}} + \frac{\lambda_L}{\lambda_L + \lambda_H}\sqrt{\frac{1 - \pi}{\pi}}$$

By assumption, $\pi \geq \frac{1}{2}$. And since $\lambda_H > \lambda_L$, the only inequality that matters is (27), which is precisely the condition (12).

Proposition 7

(i) The proof is entirely rudimentary and standard. Nevertheless, we give it for completeness. By assumption, inequality (20) holds for every s . Using the definition of Blackwell informativeness, we can rewrite $r'(w|s)$ as

$$\begin{aligned} &= \frac{\mu(w)}{r'(s)}r'(s|w) = \frac{\mu(w)}{r'(s)} \sum_{s'} p(s|s')r(s'|w) \\ &= \frac{\mu(w)}{r'(s)} \sum_{s'} p(s|s') \frac{r(s')r(w|s')}{\mu(w)} = \sum_{s'} \frac{p(s|s')r(s')}{r'(s)} r(w|s') \end{aligned}$$

where $r(s')$ is the ex-ante probability of the signal s' under r , and $r'(s)$ is the ex-ante probability of the signal s under r' . Now, elaborate the term

$$\frac{p(s|s')r(s')}{r'(s)} = \frac{\sum_w \mu(w)p(s|s')r(s'|w)}{\sum_{s''} \sum_w \mu(w)p(s|s'')r(s''|w)}$$

We can easily see that this term is between 0 and 1, and that

$$\sum_{s'} \frac{p(s|s')r(s')}{r'(s)} = 1$$

It follows that for every s , $r'(w|s)$ is some convex combination of $(r(w'|s))_{w'}$. Therefore, given that under r , (20) holds for every s , it must hold under r' as well.

(ii) Suppose that advertisers are fully informed of the realization of w . Then, the necessary and sufficient conditions for implementability of the optimal policy are that for every w ,

$$\begin{aligned} \sum_{i \in N} \sqrt{\mu_i(x|w)\mu_i(y|w)} &\leq \sum_{i \in N} \left[\frac{\lambda_H}{\lambda_L + \lambda_H} \mu_i(y|w) + \frac{\lambda_L}{\lambda_L + \lambda_H} \mu_i(x|w) \right] \\ \sum_{i \in N} \sqrt{\mu_i(x|w)\mu_i(y|w)} &\leq \sum_{i \in N} \left[\frac{\lambda_H}{\lambda_L + \lambda_H} \mu_i(x|w) + \frac{\lambda_L}{\lambda_L + \lambda_H} \mu_i(y|w) \right] \end{aligned}$$

By assumption, there is a perfectly symmetric signal w^* . Therefore, $\mu_i(x|w^*)$ is the same for all $i \in N$, such that we can remove the subscript i and the summation over i from both inequalities. The inequalities then reduce to

$$1 \leq \left(\frac{1}{\lambda_L/\lambda_H + 1} \right) \sqrt{\frac{\mu(y|w^*)}{\mu(x|w^*)}} + \left(\frac{\lambda_L/\lambda_H}{\lambda_L/\lambda_H + 1} \right) \sqrt{\frac{\mu(y|w^*)}{\mu(x|w^*)}} \quad (28)$$

$$1 \leq \left(\frac{1}{\lambda_L/\lambda_H + 1} \right) \sqrt{\frac{\mu(x|w^*)}{\mu(y|w^*)}} + \left(\frac{\lambda_L/\lambda_H}{\lambda_L/\lambda_H + 1} \right) \sqrt{\frac{\mu(x|w^*)}{\mu(y|w^*)}} \quad (29)$$

Because $\mu(x|w^*) \neq \frac{1}{2}$, either $\mu(x|w^*) > \mu(y|w^*)$ or $\mu(x|w^*) < \mu(y|w^*)$. Assume the former, without loss of generality. Since inequality (29) is violated for $\lambda_L/\lambda_H = 0$, there exists $\lambda_L^*/\lambda_H^* > 0$ such that this inequality would also be violated for all $\lambda_L/\lambda_H < \lambda_L^*/\lambda_H^*$.

References

- [1] Abbe, Emmanuel and Colin Sandon (2015): “Community detection in general stochastic block models: fundamental limits and efficient recovery algorithms,” *IEEE 56th Annual Symposium on Foundations of Computer Science*, pp. 670–688.
- [2] Athey, Susan and Joshua S. Gans (2010): “The impact of targeting technology on advertising markets and media competition,” *American Economic Review: Papers & Proceedings* 100(2), 608-613.

- [3] Basu, Ayanendranath, Hiroyuki Shioya and Chanseok Park (2011): *Statistical inference: the minimum distance approach*. CRC Press.
- [4] Bergemann, Dirk and Alessandro Bonatti (2011): “Targeting in advertising markets: implications for offline versus online media,” *Rand Journal of Economics* 42(3), 417-443.
- [5] Bergemann, Dirk and Alessandro Bonatti (2015): “Selling cookies,” *American Economic Journal: Microeconomics* 7(3), 259-294.
- [6] Bloch, Francis (2015): “Targeting and pricing in social networks,” in *The Oxford Handbook of the Economics of Networks* (Y. Bramoulle, A. Galeotti and B. Rogers eds.), Oxford University Press.
- [7] Campbell, James (2015): “Localized price promotions as a quality signal in a publicly observable network,” *Quantitative Marketing and Economics* 13(1), 27-57.
- [8] Eliaz, Kfir and Ran Spiegler (2015): “Search design and broad matching,” *American Economic Review* 105, 563-586.
- [9] Galeotti, Andrea and Sanjeev Goyal (2012): “Network multipliers: the optimality of targeting neighbors,” *Review of Network Economics* 11(3), 1446-9022.
- [10] Iyer, Ganesh, David Soberman and J. Miguel Villas-Boas (2005): “The targeting of advertising,” *Management Science* 24(3), 461-476.
- [11] Johnson, Justin P. (2013): “Targeted advertising and advertising avoidance,” *Rand Journal of Economics* 44(1), 128-144.
- [12] Mossel, Elchanan, Joe Neeman and Allan Sly (2012): “Stochastic block models and reconstruction,” mimeo.
- [13] Theodoridis, Sergios and Konstantinos Koutroumbas (2008): *Pattern Recognition*. Academic Press.
- [14] Zubcsek, Peter Pal and Miklos Sarvary (2011): “Advertising to a social network,” *Quantitative Marketing and Economics* 9(1), 71-107.