Abner Soffer
Publications

1. L. Lee, C. Ohm, A. Soffer, T, Yu, arXiv: 1810.12602 (review article invited by Progress in Particle and Nuclear Physics), "Collider Searches for Long-Lived Particles Beyond the Standard Model".
2. D. Aloni, Y. Grossman, A. Soffer, arXiv:1806.04146 (selected as "Editor's suggestion" in Phys. Rev. D), "Measuring CP violation in $b \to c\tau\bar{\nu}_\tau$ using excited charm mesons".
3. M. Kohda, T. Modak, A. Soffer, Phys. Rev. D 97, 115019 (2018), arXiv:1803.07492, "Identifying a Z' behind $b \to s\ell\ell$ anomalies at LHC".
4. The ATLAS Collaboration, Phys. Rev. D 97, 052012, arXiv:1710.04901 (2017), "Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector".
5. The ATLAS Collaboration, Phys. Rev. D 92, 072004, arXiv:1504.05162 (2015), "Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector".
6. The BABAR Collaboration, Phys. Rev. Lett. 114, 171801 (2015), "Search for Long-Lived Particles in e^+e^- Collisions".
7. A. Soffer, Phys. Lett. A 29, 1430007 (2014), "B-Meson Decays into Final States with a tau Lepton".
8. The BABAR Collaboration, Nucl. Instrum. Meth. Phys. Res. A 726, 203 (2013), "Time-integrated luminosity recorded by the BABAR detector at the PEP-II e^+e^- collider".
9. The ATLAS Collaboration, Phys. Lett. B 719, 280 (2013), arXiv:1210.7451, "Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at √s = 7 TeV with the ATLAS detector".
10. The BABAR Collaboration, Phys.Rev. D87, 052009 (2013), "Measurement of CP Asymmetries and Branching Fractions in Charmless Two-Body B-Meson Decays to Pions and Kaons".
11. The BABAR Collaboration, Phys. Rev. D86, 092005 (2012), "Search for resonances decaying to $\eta_c\pi^+\pi^-$ in two-photon interactions".
12. The ATLAS Collaboration, Phys. Lett. B 707, 478 (2012), arXiv:1109.2242, "Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS".
13. D. Das, D. London, R. Sinha, and A. Soffer, Phys. Rev. D 82, 093019 (2010), "Measuring the magnitude of the fourth-generation CKM_4 matrix element $V_{t'b'}$ at the LHC".
14. Shmuel Nussinov and Abner Soffer, Phys. Rev. D 80, 033010, 2009, "Estimate of the branching fraction $\tau^- \to \eta'\pi^-\nu_\tau$".
15. A. Soffer, W. Toki and F. Winklmeier, Phys. Rev. D 79, 014026, 2009, "CP-violation parameters from decay rates of $B^\pm \to DK^\pm, D \to$ multibody final states".
16. Shmuel Nussinov and Abner Soffer, Phys. Rev. D 78, 033006, 2008, "Estimate of the branching fraction $\tau^- \to \eta\pi^-\nu_\tau$, the $a_0^-(980)$, and non-standard weak interactions".
17. Mario Gaspero, Brian Meadows, Kalanand Mishra, Abner Soffer, Phys. Rev. D 78, 014015, 2008, "Isospin analysis of D^0 decay to three pions".
18. The BaBar Collaboration, Phys. Rev. Lett. 99, 251801, 2007, "Measurement of CP Violation Parameters with a Dalitz Plot Analysis of $B^\pm \to D_{\pi^+\pi^-\pi^0}K^\pm$".
19. N. Sinha, R. Sinha, and A. Soffer, Phys. Rev. D 72, 071302, 2005, "Improved Measurement of 2β+γ".
20. Y. Grossman, A. Soffer, and J. Zupan, Phys. Rev. D 72, 031501, 2005, "The Effect of $D - \bar{D}$ Mixing on the Measurement of γ in $B \to DK$ Decays".
21. The BaBar Collaboration, Phys. Rev. D72, 071102, 2005, "Measurement of the Branching Fraction and Decay Rate Asymmetry of $B^- \to D_{\pi^+\pi^-\pi^0}K^-$"
22. The BaBar Collaboration, Phys. Rev. D 71, 112003, 2005, "Measurement of Time-Dependent CP-Violating Asymmetries and Constraints on sin(2β+γ) with Partial Reconstruction of $B \to D^{*+}\pi^-$ Decays".

23. M. Gronau, Y. Grossman, N. Shuhmaher, A. Soffer, and J. Zupan, Phys. Rev. D69, 113003, 2004, "Using Untagged $B^0 \to DK_S$ to Determine γ".
24. The BaBar Collaboration, Phys. Rev. Lett. 92, 251802, 2003, "Measurement of Time-Dependent CP Asymmetries and Constraints on sin(2β+γ) with Partial Reconstruction of $B \to D^{*+}\pi^-$ Decays".
25. A. Giri, Y. Grossman, A. Soffer, and J. Zupan, Phys. Rev. D68, 054018, 2003, "Determining γ Using $B^+ \to DK^+$ with Multibody D decays".
26. The BaBar Collaboration, Phys. Rev. D67 (Rap. Comm.), 091101, 2003, "Measurement of the B^0 Meson Lifetime with Partial Reconstruction of $B^0 \to D^{*-}\pi^+$ and $B^0 \to D^{*-}\rho^+$ Decays.
27. Y. Grossman, Z Ligeti, and A. Soffer, Phys. Rev. D67, 071301, 2003, "Measuring γ in $B^{\pm} \to K^{\pm}(KK^*)_D$ Decays".
28. J.P. Silva, A. Soffer, L. Wolfenstein, and F. Wu, Phys. Rev. D67, 036004, 2003, "What Can We Learn from a Measurement of sin(2β+γ)?".
29. R. Aleksan, T. Petersen, and A. Soffer, Phys. Rev. D67, 096002, 2003, "Measuring the Weak Phase γ in Color Allowed $B \to DK\pi$ Decays".
30. The BaBar Collaboration, Nucl. Instrum. Meth. A479, 1, 2002, "The BaBar Detector".
31. J.P. Silva and A. Soffer, Phys. Rev. D61, 112001, 2000, "Impact of $D^0 - \overline{D}^0$ mixing on the experimental determination of γ".
32. A. Soffer, Phys. Rev. D60, 54032, 1999 "Discrete Ambiguities in the Measurement of the Weak Phase γ".
33. A. Soffer, hep-ex/9801018, "Improving Measurements of the CKM Phase γ Using Charm Factory Results".
34. The CLEO Collaboration, Phys. Rev. Lett. 80, 5493, 1998, "First Observation of the Cabibbo Suppressed Decay $B^- \to D^0 K^-$ ".